

PROTECT YOUR LIFE WITH PROTECTOR

ARE YOU SAFE  
**PROTECTOR**<sup>®</sup>  
FIRESAFETY INDIA PVT. LTD.



**FIRE SAFETY**



# CONTENTS

<b>1</b>	<b>FIRE EXTINGUISHER</b>		<b>1 - 07</b>
<b>A</b>	<b>FIRE EXTINGUISHER ABC &amp; CO2 &amp; WATER Co2</b>		
<b>B</b>	<b>FIRE EXTINGUISHER DCP &amp; CLEAN AGENT</b>		
<b>C</b>	<b>FIRE EXTINGUISHER ABC 50% &amp; 90% MAP</b>		
<b>D</b>	<b>FIRE EXTINGUISHER DCP TYPE</b>		
<b>E</b>	<b>FIRE EXTINGUISHER co2 &amp; MECHENICAL FOAM</b>		
<b>E</b>	<b>FIRE EXTINGUISHER CLEAN AGENT</b>		
<b>2</b>	<b>FIRE EXTINGUISHER AUTOMATIC MODULAR</b>		<b>08</b>
<b>3</b>	<b>FIRE EXTINGUISHER FOR SPECIAL APPLICATION</b>		<b>9 - 10</b>
<b>A</b>	<b>FIRE EXTINGUISHER D TYPE METAL</b>		
<b>B</b>	<b>FIRE EXTINGUISHER K (KITCHEN) TYPE</b>		
<b>C</b>	<b>FIRE EXTINGUISHER LITHIUM-ION BATTERY</b>		
<b>D</b>	<b>FIRE EXTINGUISHER WATER MIST</b>		
<b>4</b>	<b>FIRE SAFETY EQUIMENTS</b>		<b>11-12</b>
<b>5</b>	<b>FIRE HOSE BOX &amp; HOSE PIPE</b>		<b>13-14</b>
<b>6</b>	<b>FIRE HYDRANT LANDING VALVE &amp; NOZZLES</b>		<b>15-16</b>
<b>7</b>	<b>FIRE ALUMINIZED PROXIMITY SUIT</b>		<b>16-17</b>
<b>8</b>	<b>FIRE BLANKET</b>		<b>18</b>
<b>8</b>	<b>DOJO BOARD &amp; SAFETY SIGN</b>		<b>19-20</b>



# FIRE PROTECTION

## FIRE EXTINGUISHER



### Co2 Type



2 kg Safety Fire (5021)



3 kg Safety Fire (5022)



4.5 kg Safety Fire (5301)



6.5 kg Safety Fire (5024)



Trolley Mounted 9 kg Safety Fire (5025)



Trolley Mounted 22.5 kg Safety Fire (5026)

### ABC Type



9 kg Safety Fire (5305)



6 kg Safety Fire (5304)



4 kg Safety Fire (5303)



2 kg Safety Fire (5309)



1 kg Safety Fire (5310)

### Water Co2



45 Ltr. Inside Cartridge Trolley Mounted (5009)



9 Ltr. Stored Pressure Safety Fire (5014)



ABC 25 Kg Trolley Mounted Safety Fire (5307)



ABC 50 Kg Trolley Mounted Safety Fire (5320)



ABC 75 Kg Trolley Mounted Safety Fire (5321)

# FIRE PROTECTION



## DRY CHEMICAL POWDER ( SBC)TYPE



4 Kg S.P. Safety Fire (4933)



6 Kg S.P. Safety Fire (5031)



9 Kg S.P. Safety Fire (4934)



25 kg Inside Cartridge Trolley Mounted Safety First (5040)



50 kg Outside Co2 Bottle Trolley Mounted Safety First (5029)



75 kg Outside CO2 Bottle Trolley Mounted Safety First (5038)

## Clean Agent



6 kg Safety First (5063)



4 kg Safety First (5053)



2 kg Safety First (5059)

## Automatic Modular



Automatic Modular ABC 5 kg. Safety First (5067)



Clean Agent 2kg. Safety First (5051)



Clean Agent 4 kg. Safety First (5056)

## Automatic Modular



Fire Extinguisher Ball ABC type 1 kg (4910)



2,4 & 6 kg Safety First (KSS2, KSS4 & KSS6)

## Mechanical Foam



9 Ltr. Stored Pressure Safety First (5042)



45 Ltr. Inside Cartridge Trolley Mounted (4942)



Mobile Foam Trolley 100, 150 & 200 Liters (MFT)





**Fire Ext ABC Type 90 % MAP UL Listed Kanex**

Sr.No	Code	Product Name
1	KFAHQ-2.5-UL	2.5 LBS (1.5 Kg)
2	KFAHQ-10-UL	10 LBS (4.5 kg)
3	KFAHQ-20-UL	20 LBS (9 kg)



**Fire Extinguisher ABC Type Stored Pressure Kanex ISI MARKED**

Sr.No	Code	50% MAP	Code	90% MAP
1	KFARQ-1-50	1 kg	KFARQ-1-UL-90	1 kg
2	KFARQ-2-50	2 kg	KFARQ-2-UL-90	2 kg
3	KFARQ-4-50	4 kg	KFARQ-4-UL-90	4 kg
4	KFARQ-6-50	6 kg	KFARQ-6-UL-90	6 kg
5	KFARQ-9-50	9 kg	KFARQ-9-UL-90	9 kg

**Fire Extinguisher ABC Type S.P Trolley Mounted Kanex**

Sr.No	Code	50% MAP	Code	90% MAP
1	KFDRQ-25-50	25 kg	KFDRQ-25-90	25 kg
2	KFDRQ-50-50	50 kg	KFDRQ-50-90	50 kg
3	KFDRQ-75-50	75 kg	KFDRQ-75-90	75 kg
4	KFDRQ-150-50	150 kg	KFDRQ-150-90	150 kg





**Fire Extingisher BC (DCP) type Portable Stored Pressure**

Sodium bicarbonat base			Potesium bicarbonate base	
Sr.No	Code	Capacity	Code	Capacity
1	KFARQ-4-S	4 kg	KFARQ-4-P	4 kg
2	KFARQ-6-S	6 kg	KFARQ-6-P	6 kg
3	KFARQ-9-S	9 kg	KFARQ-9-P	9 kg



**Fire Extingisher BC (DCP) type Portable SBC Base Cartridge operated**

Sr.No	Code	Capacity
1	KFDRQ-4-S	4 Kg
2	KFDRQ-6-S	6 Kg
3	KFDRQ-9-S	9 Kg

**Fire Extingisher BC (DCP) Type Sodium Bicarbonat Base Trolley Mounted Cartridge Operated**

Sr.No	Code	Capacity
1	KFDRQ-25-S	25 Kg
2	KFDRQ-50-S	50 Kg
3	KFDRQ-75-S	75 Kg







**Fire Extinguisher CO2 Type Aluminum Body  
Non Magnetic-MRI UL Listed**

Sr.No	Code	Capacity
1	KFCHQ-2-AL	2 Kg
2	KFCHQ-4.5-AL	4.5 Kg



**Fire Extinguisher Type CO2 Portable**

Sr.No	Code	Capacity
1	KFCRQ-2	2 Kg
2	KFCRQ-3	3 Kg
3	KFCRQ-4.5	4.5 Kg

**Fire Extinguisher CO2 Type Trolley Mounted**

Sr.No	Code	Capacity
1	KFCRQ-6.5	6.5 Kg
2	KFCRQ-9	9 Kg
3	KFCRQ-22.5	22.5 Kg





**Fire Extinguisher Water CO2 Stored Pressure Portable**

Sr.No	Code	Capacity
1	KFWSRQ-6	6 Ltr
2	KFWSRQ-9	9 Ltr



**Fire Extinguisher Mechanical Foam Stored Pressure**

Foam AFFF 3%			AFFF 6%	
Sr.No	Code	Capacity	Code	Capacity
1	KFMSRQ-6	6 Ltr	KFMESHQ-6-AR	6 Ltr
2	KFMSRQ-9	9 Ltr	KFMESHQ-9-AR	9 Ltr



**Fire Extinguisher Mechanical AFFF 3% Foam Stored Pressure Trolley Mounted**

Sr.No	Code	Capacity
1	KFMRQ-45	45 Ltr
2	KFMRQ-60	60 Ltr





**Clean Agent M.S Body Portable HFC236FA Gas**

Sr.No	Code	Capacity
1	KCARQ-2	2 Kg
2	KCARQ-4	4 Kg
3	KCARQ-6	6 Kg



**Clean Agent SS Body Portable FE 36 Gas**

Sr.No	Code	Capacity
1	KCAHQSS-2-FE36	2 Kg
2	KCAHQSS-4-FE36	4 Kg
3	KCAHQSS-6-FE36	6 Kg

**Fire Extinguisher Clean Agent AL. Body FE36 Non Magnetic MRI**

Sr.No	Code	Capacity
1	KCAHQMRI-2-FE36	2 Kg
2	KCAHQMRI-4-FE36	4 Kg
3	KCAHQMRI-6-FE36	6 Kg





**Automatic Modular Clean Agent  
HFC236FA Gas RQ**

Sr.No	Code	Capacity
1	KMCRQ-2	2 Kg
2	KMCRQ-5	5 Kg



**Automatic Modular Clean Agent UL Lited FE 36 gas**

Sr.No	Code	Capacity
1	KMCHQ-2-FE36	2 Kg
2	KMCHQ-5-FE36	5 Kg

**Automatic Modular ABC Type S.P**

50% Map			90% Map	
Sr.No	Code	Capacity	Code	Capacity
1	KMPRQ-2-50%	2 kg	KMPRQ-2-90	2 kg
2	KMPRQ-5-50%	5 kg	KMPRQ-5-90	5 kg
3	KMPRQ-10-50%	10 kg		







**Fire Exe.D TYPE METAL(Sodium Megnesialm, Potesium) S.P**

Sr.No	Code	Capacity
1	KFDMSRQ-4	4 Kg
2	KFDMSRQ-6	6 Kg
3	KFDMSRQ-9	9 Kg



**Fire Exe.D TYPE METAL(Sodium megnesialm, Potesium) S.P Trolley Mounted**

Sr.No	Code	Capacity
1	KFDMSRQ-25	25 Kg
2	KFDMSRQ-50	50 Kg



**Fire Extinguisher K Type (Kitchen) S.P**

Sr.No	Code	Capacity
1	KFKHQ-2	2 Kg
2	KFLIHQ-4	4 Kg
3	KFKHQ-6	6 Kg



**Fire Extinguisher For LITHIUM-ION Battery Vehical**

Sr.No	Code	Capacity
1	KFLIHQ-2	2 Ltr
2	KFLIHQ-4	4 Ltr
3	KFLIHQ-6	6 Ltr



**Fire Extinguisher WATERMIST**

Sr.No	Code	Capacity
1	KFWMSHQ-2	2 Ltr
2	KFWMSHQ-3	3 Ltr
3	KFWMSHQ-6	6 Ltr
4	KFWMSHQ-9	9 Ltr

**Fire Extinguisher Water Mist Cum Compressed Air Foam System**

Sr.No	Code	Capacity
1	KCAFS-10	10 LTR WATERMIST CUM CAFS BACK PACK
2	KCAFS-50	50 LTR CAFS MOBILE UNIT







Co2 4.5 kg  
M.S. Stand  
(5176)



ABC/ DCP  
9 kg M.S. Stand  
(5175)



ABC/ DCP  
6 kg M.S. Stand  
(5173)



ABC/DCP 4 kg  
M.S. Stand  
(5172)



ABC 2 kg  
M.S. Stand  
(5174)



FRP floor stand  
(5171)



Fire Beater  
(5302)



Fire Bucket Stand  
(5100)



Fire Bucket 9 Liters  
(5101)



Wall Bracket For  
Hanging Fire Bucket  
(5099)



Fire Man Axe  
(5145)



Fire Hammer with  
small chain  
(5289)



Fire Hose Reel Swivelling  
Type with Pipe & Nozzle  
(5128)



Fire Hose Reel For 30 Mtr.  
PVC Pipe  
(5121)



Fire Hose Reel With Pipe & Nozzle  
(5125)



Fire Hose PVC Pipe Shut off  
Nozzle 25mm  
(5123)



M/F Coupling 63mm  
S.S.304 (5117)  
S.S 204(5117/2)



Fire Hose Reel  
Ball valve 25mm  
(5124)



M/F Coupling 63mm  
Gun matel .  
(5114)



Fire extinguisher ABC pressure gauge (5286)



Valve for ABC type fire extinguisher 5 kg/ 10 kg (5294)



Belt for ABC type fire extinguisher (5261)



M.S safety pin for ABC type fire extinguisher (5281)



Aluminium wheel for CO2 fire extinguisher (5284)



Trolley Wheel for 9 kg Co2 Fire (5226)



Co2 safety seal with M S pin (5273)



Band for 2 & 3 kg CO2 fire ext. (5231)



Carrying neck handle for CO2 4.5 kg (5271)



Nozzle for 9 ltr mech foam (5219)



Discharge hose for ABC/DCP Type 4 & 6 kg (5203)



Discharge hose for ABC/DCP Type 9 kg (5205)



Discharge hose 1 M with horn for 4.5/6.8 kg CO2 fire extinguisher (5282)



Discharge hose for CO2 1 M (5221/1)



Discharge horn for CO2 2 & 3 kg (5234)



Discharge horn for 4.5/6.8 kg CO2 fire extinguisher (5234)



Fixing clamp DCP / ABC type 4 & 6 kg (5264)



Fixing clamp Co2 Type 3 & 4.5 kg (5228)





Sr.No	Code	Product Name	
		PIPE	Coupling
1	5461	63 mm X 15 M Torrent Type 1/RRL A	IS 304SS
2	5462	63 mm X 15 M Torrent Type 1/RRL A	IS 202 SS
3	5463	63 mm X 30 M Torrent Type 1/RRL A	IS 304SS
4	5464	63 mm X 30 M Torent Type 1/RRL A	IS 202SS



63mm X 15M RRL-A/ Type 1  
With Coupling

Sr.No	Code	Product Name	
		PIPE	Coupling
1	5465/15	63 mm X 15 M Torrent Type 3/RRL B	IS 304SS
2	5465/30	63 mm X 30 M Torrent Type 3/RRL B	IS 202 SS
3	5466/15	63 mm X 15 M Torrent Type 3/RRL B	IS 304SS
4	5466/30	63 mm X 30 M Torrent Type 3/RRL B	IS 202SS



63mm X 15M RRL-B/Type 3  
With Coupling



63mm X 15M Torrent Walcoat UL  
Listed With IS 304 Coupling  
(5469)



63mm X 15M Torrent UL  
Listed With IS 304 Coupling  
(5481)



63mm X 15M Torrent Armor Type 3  
With IS 304 Coupling  
(5467)



63mm X 15M Torrent Walcoat Type 2  
With IS 304 Coupling  
(5468)



63mm X 15M Torrent Maxima Type A  
With IS 304 Coupling  
(5472)



63mm X 15M Torrent Maxima Plus Type 1  
With IS 304 Coupling  
(5474)

# FIRE SAFETY

## FIRE HOSE BOX



FRP Box 600X 750X 300mm  
For Co2 4.5 Kg & ABC 6 Kg  
(5180)

Double Door FRP L750 X H650 X W250mm		
Sr.No.	Code	Material Thickness
1	5140/1.5	1.5 TO 2 mm
2	5140/3	3 mm
3	5140/4	4 TO 4.5 mm



Single Door FRP L450 X H600 X W250 mm		
Sr.No.	Code	Material Thickness
1	5139/1.5	1.5 TO 2 mm
2	5139/3	3 mm
3	5139/4	4 TO 4.5 mm



Fire Hose Box Double Door MS  
(5120)



Double Door FRP L900 X H600 X W250 mm		
Sr.No.	Code	Material Thickness
1	5137/1.5	1.5 TO 2 mm
2	5137/3	3 mm
3	5137/4	4 TO 4.5 mm



Fire Hose Box Single Door MS  
(5119)



Double Door FRP L600 X H250 X W300mm		
Sr.No.	Code	Material Thickness
1	5177/1.5	1.5 TO 2 mm
2	5177/3	3 mm
3	5177/4	4 TO 4.5 mm

MS Box 600X 280X 300mm  
For DCP & ABC FE  
(5177)

Fire Hose Box Key  
(5116)



Sr.No.	Code	Product Name	Material Thickness
1	5187/1.5	Single Door FRP L800 X H300 X W300mm	1.5 TO 2 mm
2	5187/3	Single Door FRP L800 X H300 X W300mm	3 mm
3	5187/4	Single Door FRP L800 X H300 X W300mm	4 TO 4.5 mm







FIRE HYDRANT LANDING VALVE



Landing Valve  
Single S.S.  
(5105)



Fire Hydrant Landing  
Valve Single G.M.  
(5182)



Landing Valve Double G.M.  
(5106/G)



Landing Valve Double S.S.  
(5106/SS)



Fire Hydrant Two Way  
Inlet Breeching Valve S.S.  
(5166)



Fire Hydrant Three Way  
Inlet Breeching Valve S.S.  
(5106/SS)



Fire Hydrant Four Way  
Inlet Breeching Valve S.S.  
(5162/SS)

WATER, MONITOR & NOZZEL



Nozzle (Short Branch)  
Stainless Steel  
(5184)



Nozzle (Short Branch)  
Gun Metal  
(5111)



Nozzle Triple Purpose  
Universal Gun Metal  
(5131)



Multi Purpose Spray  
Jet Nozzle 63 mm  
(5135)



Fire fighting Revolving  
Nozzle 63mm  
(5136)



Water cum foam  
monitor 63mm  
(5082)



Foam Making Branch  
Pipe FB 5X  
(5072)



Foam making branch  
pipe FB 10X  
(5073)



Foam Making Branch  
Pipe FB 2X  
(5071)

# FIRE SAFETY

## FIRE SPRINKLER



Pendant (5138)



Upright (5098)



Horizontal (5083)



Flexible Sprinkler Drop 1.5 Meter (PFHUB) (1.5)

### Fire Alarm



Smoke Detector (5142)



Smoke Detector Cordless (5148)



Fire Alarm/ Strobe /Hooter (5141)



Fire Manual Call Point (5144)



Fire Alarm Response Indicator (5143)



Sr.No	Code	Product Name
1	5365	AFFF 3% ISI Approved & UL Listed
2	5466	AFFF 6% ISI Approved & UL Listed
3	5164	AFFF 3% ISI Approved
4	5165	AFFF 6% ISI Approved



Fire Fighter Helmet with Balaclava hood (7743)



Fire Fighter Boot (7741)



Aluminized Aramid Leg Guard 16" Alumaster (7736)



Aluminized Gloves Protector  
2Layer (7748)  
3Layer (7745)  
4 Layer (7744)



Aluminized Safety Boot (7751)





Sr.No.	Code	Aluminised Fire Proximity Suit
1	771	Alu. Commercial Grade 3 layer
2	7746	Alu. Commercial Grade 4 layer
3	7757	Alu. Aramid proximity suit Flare Defend 4 layer
4	7771	Alu. Aramid Proximity Suit ALUMASTER 2 Layer
5	7772	Alu. Aramid Proximity Suit ALUMASTER 3 Layer
6	7773	Alu. Aramid Proximity Suit ALUMASTER 4 Layer



Aluminized Fire Apron  
With Sleeve  
(780/36)



Aluminized Aramid Apron  
(7858)



Aluminized Aramid Full Coat  
(7762) 2 Layer  
(7763) 3 Layer



Fire Proximity Nomex Suit  
(Turnout gear)  
(NFS-101)



Aluminised fire  
entry suit 7 layer  
(7764)



Aluminised Molten  
Metal Suit 3 Layer  
ALUMASTER (7747)



**Water Gel Blanket**  
 5 FT X 6 FT (2301)  
 5 FT X 8 FT (2302)  
 6 FT X 8 FT (2303)



**Fire blanket**  
 1M X 2M X 0.55mm(2311)  
 2M X 2M X 0.55mm(2305)




**Fire Blanket Coated**  
 1M X 2 M X 0.6mm(2308)  
 2M X 2M X 0.6MM(2309)

**Welding / Fire Blanket**



**Fire Blanket / Welding Vermiculite Coated Ceramic**  
 1M X 2M X 2.2mm(2312)  
 2M X 2M X 2.2mm(2313)



**Fire Blanket / Welding Vermiculite Coated Ceramic**  
 1M X 2M X 3.2MM(2314)



**Fire Blanket / Welding Vermiculite Coated Ceramic**  
 2M X 2M X 3.2MM(2314/2)



**High silica welding blanket**  
 1mX2MX0.8mm  
 (2315)



**Silica welding blanket**  
 1mX2MX0.5m  
 (2315)



**Graphite Coated Welding Blanket**  
 1MX2MX0.9 mm  
 (2318)





# FIRE SAFETY LEARNING BOARD (5191)

## FIRE SAFETY LEARNING BOARD (DOJO BOARD)

अग्नि सुरक्षा प्रबंधन एवं आपातकालीन तैयारी  
(FIRE SAFETY MANAGEMENT SYSTEM AND EMERGENCY PREPAREDNESS)

**YOUR COMPANY LOGO**

---

### WHAT IS FIRE? आग क्या है?

**CHAIN REACTION**

अग्नि (COMBUSTION)  
अग्नि तत्वों के साथ ईंधन की रासायनिक प्रतिक्रिया है।

**FIRE FIGHTING**  
अग्नि बुझाना

अग्नि को ठंडा करने के लिए ईंधन को हटाने से।

### FIRE FIGHTING अग्निशमन

FIRE FIGHTING is the attempting to prevent the spread of extinguish significant unwanted fire  
उपलब्ध साधनों से आग पर काबू पाने की कोशिश करें।

#### 1. FIRE EXTINGUISHER

**HOW TO USE A FIRE EXTINGUISHER**

**P.A.S.S.**

**P**ULL  
**A**IM  
**S**QUEEZE  
**S**WEEP

**FIRE BUCKET**

1) Operate Nearest Fire Alarm.  
2) Leave Building By The Nearest Exit.  
3) Report Assembly Point.

#### 2. FIRE HYDRANT

**HOSE BOX**   **HOSE REEL**   **FIRE BRIGADE CONNECTION**

**BRANCH PIPE**   **LANDING VALVE**

**FIRE SPRINKLERS**   **HOSE PIPE**   **MALE COUPLING**

## Basic Fire Safety Training:

Fire fighting training is conducted to educate company/factory employees, authorities and staff about the necessity to implement safer and healthier practices at workplace. They will also be trained to respond quickly to accidents at workplace.

### अभीसी टाइप केमिकल पावडर अग्निशामक यंत्र वापरवानी रीत HOW TO OPERATE "ABC" TYPE FIRE EXTINGUISHER "अभीसी" टाइप अग्निशामक उपयोग करने का तरीका

एक अग्निशामक यंत्र आमतौर पर, आमतौर पर, प्लास्टिक, लेड, पेट्रोलियम प्रोडक्ट्स, रंग, रसायन, तथा दहनशील तत्वों, अम्ल, क्षारीय, मिश्रण तथा विद्युत उपकरणों के अग्निशामक के रूप में प्रयोग किया जाता है।

एक अग्निशामक यंत्र कागज, कपड़ा, रबर, प्लास्टिक, तेल, पेट्रोलियम प्रोडक्ट्स, रंग रसायन तथा दवायुयुक्त गैस जैसे के पदार्थों, मिश्रण तथा विद्युत उपकरणों को अग्नि बुझाने में उपयोगी है।

Available in ABC Powder, Pressurized with dry nitrogen gas. The contents are expelled by release of pressure. The pressure gauge indicates its readiness. Highly effective agents suitable to combat fires involving wood, inflammable liquid, gases and electrical wiring.

**1**

**2**

**3**

**4**

**FIRE EXTINGUISHER**  
अग्निशामक

**PULL THE SAFETY CLIP**  
सेफ्टी क्लिप को खींचें।

**HOLD THE PIPE & PUSH THE NOSE**  
पाइप को पकड़ें और नोजल को आगे बढ़ाएं।

**BLOW THE POWDER TO THE BASE OF FIRE**  
पावडर को धारण करके आग के आधार पर फेंकें।

### कार्बनडाइऑक्साइड (CO2) अग्निशामक यंत्र वापरवानी रीत HOW TO OPERATE "CARBON DIOXIDE" TYPE FIRE EXTINGUISHER "कार्बनडाइऑक्साइड (CO2)" टाइप अग्निशामक उपयोग करने का तरीका

एक अग्निशामक यंत्र आमतौर पर, आमतौर पर, प्लास्टिक, लेड, पेट्रोलियम प्रोडक्ट्स, रंग, रसायन, तथा दहनशील तत्वों, अम्ल, क्षारीय, मिश्रण तथा विद्युत उपकरणों के अग्निशामक के रूप में प्रयोग किया जाता है।

Quick & effective flame knockdown property of CO<sub>2</sub> gas makes it ideal for tackling fires involving inflammable liquids like petrol, oil, paints, solvents and industrial gases. It is suitable for sophisticated machineries. CO<sub>2</sub> extinguishes the fire by dilution of oxygen and chilling effect.

एक अग्निशामक यंत्र में कार्बन डाइऑक्साइड गैस का उपयोग किया जाता है। यह आग को ठंडा करने और ऑक्सीजन को हटाने से आग को बुझाता है।

**1**

**2**

**3**

**4**

**FIRE EXTINGUISHER**  
अग्निशामक

**PULL THE SAFETY CLIP**  
सेफ्टी क्लिप को खींचें।

**HOLD UPRIGHT IN HAND & TURN WHEEL**  
ठोस पकड़ में धारण करें और पहलू को घुमाएं।

**BLOW THE GAS TO THE BASE OF FIRE**  
गैस को धारण करके आग के आधार पर फेंकें।

19









☎ Ph: 079 46005319, 9377927738/39/40

🌐 sales@protectorfiresafety.com

✉ www.protectorfiresafety.com

📍 B-509-10-11, Signature Corporate Park 2,  
Sarkhej-Sanand Cross Road, Sarkhej,  
Ahmedabad-382210

