



SAFETY POSTER

PART - 1

PROTECT YOUR LIFE WITH PROTECTOR

Index

<u>5S SAFETY POSTER</u>		<u>01</u>
<u>AWARENESS SAFETY POSTER</u>	<u>04</u>	
<u>CHEMICAL SAFETY POSTER</u>		<u>07</u>
<u>CONSTRUCTION SAFETY POSTER</u>	<u>10</u>	
<u>DO AND DON'T POSTER</u>		<u>16</u>
<u>ELECTRICAL SAFETY POSTER</u>	<u>19</u>	
<u>ENVIRONMENT SAFETY POSTER</u>		<u>22</u>
<u>FALL PROTECTION POSTER</u>	<u>24</u>	
<u>FIRE SAFETY POSTER</u>		<u>26</u>
<u>FIRST AID SAFETY POSTER</u>	<u>32</u>	
<u>FOOD SAFETY POSTER</u>		<u>35</u>
<u>HOUSE KEEPING POSTER</u>	<u>36</u>	
<u>KAIZEN POSTER</u>		<u>38</u>
<u>LIFTING AND FORK LIFT POSTER</u>	<u>39</u>	
<u>LOCK OUT TAG OUT POSTER</u>		<u>41</u>
<u>MATERIAL HANDLING POSTER</u>	<u>42</u>	
<u>NO SMOKING POSTER</u>		<u>44</u>
<u>QUALITY CONTROL POSTER</u>	<u>46</u>	
<u>SLIP, TRIP, AND FALL HAZARD POSTER</u>		<u>47</u>
<u>SAFETY SLOGAN</u>	<u>48</u>	
<u>TEAMWORK POSTER</u>		<u>62</u>
<u>WAREHOUSE SAFETY POSTER</u>	<u>64</u>	
<u>WELDING SAFETY POSTER</u>		<u>68</u>
<u>WORK SAFETY POSTER</u>	<u>69</u>	
<u>GUJRATI HINDI POSTER</u>		<u>75</u>
<u>SAFETY CHART</u>	<u>92</u>	

5S SAFETY POSTERS

विचारो 5S!

1S वर्गीकरण करवुं.		अव्यवस्थित चीजें हटाना। अभिरुचिपूर्ण वस्तुओं को निकालो।
2S व्यवस्थित गोठवुं.		हर चीज और सबके लिए एक स्थान शक्य होकर। दरेक वस्तुओं को दरेक जगह सेक जगह सुनिश्चित करे।
3S सफाई राखवुं.		कार्यस्थल स्वच्छ रखें। काम करवानी जगहों में साइ राखवुं।
4S गुणवत्ता जगववुं.		हाउसकीपिंग का उच्च मानक बनाए रखें। इंटरऑपरेटिंग में उच्च धोरण जगववुं।
5S स्व-अनुशासन.		5S एक आदत है और इसका लगातार पालन करे। 5 जोस सेक आदत है और तैनुं सतत पालन करवुं।

PSP377

5S के नियम

	1-छटाई बिना उपयोग के चीजों को उदाहरण के तौर पर, निर्यात करवाया नहीं जानना चाहिए।
2-सुसज्जित व्यवस्था प्रत्येक उपकरण पर उपयोग किए गए उपकरण को सुरक्षित रखें और उन्हें उपयोग के तुरंत बाद वापस करने के लिए तैयार रखें।	3-साफ सफाई सभी लोगों को जगहों को स्वच्छ रखना है, और इसे रोजगार का हिस्सा बनाना है।
4-प्रबंध काम के प्रक्रियाओं को एक प्रणाली बनाना और जो प्रक्रिया प्रणाली पर 5S के कार्यों को सुदृढ़ करे।	5-स्व-अनुशासन कार्यस्थल में 5S को रोजगार के हिस्से बनाना और अपने जगहों के प्रति उत्तरदायी बनना है।

PSP243

SORT Eliminate all the items that are not needed for current production from the workplace.	SET IN ORDER Arrange the items used on a daily basis so they can be easily accessed and quickly stored.
SHINE Remove all the dirt and the grime clean daily to sustain. Ensure all equipment is running correctly.	SUSTAIN Create a system of tasks and procedures that will reinforce the steps of 5S on a daily basis.

THE 5S METHOD

Maintain the result of your effort by developing a culture of 5S in the workplace.

PSP351

5S अभलीकरण प्रक्रियाओं में

छे.

PSP482

5'S यत्नकार

आ करो	आ न करो
<ul style="list-style-type: none"> अव्यवस्थित वस्तुओं को जगहों में छोड़ना। अव्यवस्थित वस्तुओं को जगहों में छोड़ना। अव्यवस्थित वस्तुओं को जगहों में छोड़ना। 	<ul style="list-style-type: none"> अव्यवस्थित वस्तुओं को जगहों में छोड़ना। अव्यवस्थित वस्तुओं को जगहों में छोड़ना। अव्यवस्थित वस्तुओं को जगहों में छोड़ना।

PSP476

5'S कर्मों में गोठववुं

आ करो	आ न करो
<ul style="list-style-type: none"> अव्यवस्थित वस्तुओं को जगहों में छोड़ना। अव्यवस्थित वस्तुओं को जगहों में छोड़ना। अव्यवस्थित वस्तुओं को जगहों में छोड़ना। 	<ul style="list-style-type: none"> अव्यवस्थित वस्तुओं को जगहों में छोड़ना। अव्यवस्थित वस्तुओं को जगहों में छोड़ना। अव्यवस्थित वस्तुओं को जगहों में छोड़ना।

PSP475

5S टकी रहे SUSTAIN

Make a habit to follow discipline and 5S rules while working.

काम करती वजहों से शिस्त अपने नियमों में पालन करवानी देव जगववुं।

PSP481

5S SAFETY POSTERS

6S's FOR SAFETY

Sort

Sorting is a process that involves selecting what you need to complete the job removing everything else from your work area

Straighten

Straightening specifically customizes your workstation and area to meet your work area needs. Arrange remaining items so they are easy to select, use and return to their proper location

Sweep

Sweeping is powerful because its purpose is to find the reason why things become dirty. Emphasis is on the removal of dust, dirt, and grime to reveal the source and eliminate it.

Standardize

Standardizing creates a work area free of checklists, if good standard are put in place it will be easier to maintain and continue improving

Sustain

Sustainability is the result of how well we have performed the previous four S's in the sustainability stage, think of ways to eliminate effort in maintaining an area

Safety

Building awareness into all activities in the focus of this step. Zero accidents and injuries will be attained when accident prevention, identifying and eliminating hazards, becomes an integral part of your 6S program.

PSP349

5S LEAN WORKPLACE



1. SORT

Keeping only what is necessary and discard everything else - when in doubt, throw it out.



2. SET IN ORDER

Arranging and labelling only necessary items for easy use and return by anyone.



3. SHINE

Keeping everything swept and clean for inspection for safety and preventative maintenance of equipment.



4. STANDARDIZE

The state that exist when the first three pillars or "S"s are properly maintained.



5. SUSTAIN

Making a habit of properly maintaining correct procedures.

PSP541

5S



1. सुविभाजन - छंटवाई

बिन उपयोगी चीजों को उसका स्थल से हटा दें, जिसका उपयोग नहीं किया जा रहा है।

जरूरी तथा बिनजरूरी वस्तुओं अलग की, बिनजरूरी वस्तुओं को हटा दें। जरूरी वस्तुओं को व्यवस्थित रूप में मुद्रा दें।

2. सुव्यवस्था - सुसज्जित व्यवस्था

दैनिक आधार पर उपयोग किए गए आइटम व्यवस्थित करें ताकि उन्हें आसानी से पहचाना जा सके और जल्दी से सेवहीत किया जा सके।

संरचनाधी (आवृत्तियों) और उपयोगिता प्रमाणों वस्तु मणी रहे तब ही गोदवारीनी व्यवस्था करें।

3. स्वच्छता - साफ सफाई

सभी गंदगी और जमी हुई चीजों को हटा दें और इसे दैनिक रूप से रखें।

आ मुद्राओं, अंशों, लक्ष्यों तथा भीत पदार्थों को हटा दें और स्वच्छता रखें तथा बर्तन रखें।

4. मापदंड नी आणवणी - प्रबंध

कार्यों और प्रक्रियाओं की एक प्रणाली बनाओ जो दैनिक आधार पर 5S के चरणों को सुदृढ़ करेंगे।

आ मुद्राओं, सभ-वर्ष वरि कार्यस्थल में तैयार आणवणीय स्वच्छता और सुव्यवस्था बनाएं।

5. मापदंड नी आणवणी - स्व-अनुशासन

कार्यस्थल में 5 एस की प्रेरक संस्कृति बनाएं और अपने प्रयासों के परिणाम बनाएं रखें।

आ प्रवर्तितुं हर व्यक्ति धारा-धारा नु / निपटारुं अनुशासन-पुर्वक पालन करवानी धरिण इजावती तथा खोज ताबोय इयाका आरती वस्तु पक्ष स्वाभाविक पक्ष बाप न छोड़ें।

PSP573

PSP181

5S



1. सुविभाजन - छंटवाई

बिन उपयोगी चीजों को हटा दें, जिसका उपयोग नहीं किया जा रहा है।

जरूरी तथा बिनजरूरी वस्तुओं अलग की, बिनजरूरी वस्तुओं को हटा दें। जरूरी वस्तुओं को व्यवस्थित रूप में मुद्रा दें।

2. सुव्यवस्था - सुसज्जित व्यवस्था

दैनिक आधार पर उपयोग किए गए आइटम व्यवस्थित करें ताकि उन्हें आसानी से पहचाना जा सके और जल्दी से सेवहीत किया जा सके।

संरचनाधी (आवृत्तियों) और उपयोगिता प्रमाणों वस्तु मणी रहे तब ही गोदवारीनी व्यवस्था करें।

3. स्वच्छता - साफ सफाई

सभी गंदगी और जमी हुई चीजों को हटा दें और इसे दैनिक रूप से रखें।

आ मुद्राओं, अंशों, लक्ष्यों तथा भीत पदार्थों को हटा दें और स्वच्छता रखें तथा बर्तन रखें।

4. मापदंड नी आणवणी - प्रबंध

कार्यों और प्रक्रियाओं की एक प्रणाली बनाओ जो दैनिक आधार पर 5S के चरणों को सुदृढ़ करेंगे।

आ मुद्राओं, सभ-वर्ष वरि कार्यस्थल में तैयार आणवणीय स्वच्छता और सुव्यवस्था बनाएं।

5. मापदंड नी आणवणी - स्व-अनुशासन

कार्यस्थल में 5 एस की प्रेरक संस्कृति बनाएं और अपने प्रयासों के परिणाम बनाएं रखें।

आ प्रवर्तितुं हर व्यक्ति धारा-धारा नु / निपटारुं अनुशासन-पुर्वक पालन करवानी धरिण इजावती तथा खोज ताबोय इयाका आरती वस्तु पक्ष स्वाभाविक पक्ष बाप न छोड़ें।

PSP573

PSP181

5S



PSP350

5S STEP FOR SUCCESS

SORT

SET IN ORDER

SHINE

STANDARDIZE

SUSTAIN

PSP348

THE FIVE S's

SORT

Eliminate all the things in the workplace that are not being used and store them away.

SET IN ORDER

Arrange the items used on a daily basis so that they can be easily accessed and quickly stored.

SHINE

Remove all dirt and grime and keep it that way daily. Ensure all equipment is running correctly.

STANDARDIZE

Create a system of tasks and procedures that will reinforce the steps of 5S on a daily basis.

SUSTAIN

Create a motivational culture of 5S in the workplace and maintain the results of your efforts.

PSP346



PSP352

5S SAFETY POSTERS

5S to SUCCESS

1. SORT

Organisation - Keeping only what is necessary and discarding everything else - when in doubt, throw it out



2. SET IN ORDER

Orderliness - arranging and label only necessary items for easy use and return by anyone



3. SHINE

Cleanliness - keeping everything swept and clean for inspection - for safety and preventative maintenance



4. STANDARDISE

Standardise cleanup - the state that exists when the first three pillars of 'S' are properly maintained




5. SUSTAIN

Sustaining the discipline - making a habit of properly maintaining correct procedures



PSP544

The 5 R's of ZERO WASTE



PSP557

5S



1. सुविभाजन - छंटवाई

दिन उपयोगी चीजों को उसकार्यस्थल से हटा दें, जिसका उपयोग नहीं किया जा रहा है।

जल्दी तथा बिनाजल्दी वस्तुओं का अलग होना, बिनाजल्दी वस्तुओं को हटाने, जल्दी वस्तुओं को व्यवस्थित करना मुश्किल है।

2. सुव्यवस्था - सुसज्जित व्यवस्था

दैनिक आधार पर उपयोग किए गए आइटम व्यवस्थित करें ताकि उन्हें आसानी से पहचाना जा सके और जल्दी से संग्रहीत किया जा सके।

संरचनाहीन (शाथनहीन) अने उपकरणों का प्रयोग करने में गंभीर त्रुटि होती है जो कार्यक्षमता को नुकसान पहुंचा सकती है।

3. स्वच्छता - साफ सफाई

सभी गंदगी और जमी हुई चीजों को हटा दें और इसे दैनिक रूप से रखें।

आ मूल्यों को बढ़ाएँ, संरक्षित तथा भीषण परिस्थितियों को हटा दें और स्वच्छता को बनाए रखें।

4. मापदंड नी जालवण्टी - प्रबंध

कार्यों और प्रक्रियाओं की एक प्रणाली बनाओ जो दैनिक आधार पर 5S के चरणों को सुदृढ़ करेंगे।

आ मूल्यों को बढ़ाएँ, संरक्षित तथा भीषण परिस्थितियों को हटा दें और स्वच्छता को बनाए रखें।

5. मापदंड नी जालवण्टी - स्व-अनुशासन

कार्यस्थल में 5 एस की प्रेरक संस्कृति बनाएँ और अपने प्रयासों के परिणाम बनाएँ रखें।

आ प्रयत्न करें कि आपका कामस्थल नए/विद्यमान अनुशासन प्रणाली के अंतर्गत संचालित हो सके तथा नए नवीन उपकरणों को हटाने पर तैयार रहें।

PSP001

PSP543

5S + Safety

- 1 Sort:**
Only keep need items in the work area. When in doubt, sort it out.
- 2 Straighten:**
Keep items organized so they can be found quickly.
- 3 Shine:**
Clean the machines, floors and walls to eliminate sources of filth.
- 4 Standardize:**
Create standards so that anything unusual becomes obvious to everyone.
- 5 Sustain:**
Continue to practice steps to retain an efficient workplace.

PSP393

OPERATION EXCELLENCE

Sort for Straighten
Standardize
Sustain

Clearly distinguish needed items from unneeded and eliminate the latter

SEIRI

SHITSUKE SEITON SEIKETSU

5S...TPM...LEAN...

PSP095

5S STEPS TO SUCCESS!

SORT

SET IN ORDER

SHINE

STANDARDISE

SUSTAIN

PSP583

5S STEPS TO SUCCESS

Sort
Action: Remove all items not needed for current production from the work area.
Effect: Frees up work space. Reduces the danger for items handling under stress in a safe workplace.

Standardize
Action: Establish clear and visible instructions for the 5S steps of Sort, Straighten, Shine, Standardize and Sustain.
Effect: Reduces errors and improves safety.

Shine
Action: Clean the work area and equipment regularly.
Effect: Reduces the risk of accidents and improves safety.

Set in Order
Action: Organize the work area so that everything has a place and is easy to find.
Effect: Reduces the risk of accidents and improves safety.

Sustain
Action: Review all items not needed for current production from the work area.
Effect: Frees up work space. Reduces the danger for items handling under stress in a safe workplace.


5s ensures a safe and organized workplace

PSP584

AWARNESS POSTERS

QUALITY ASSURANCE

Say No to rejects



Aim For Zero Defect



SAFETY IS

EVERYONE'S BUSINESS




PSP290

SAFETY IS



EVERYONE'S RESPONSIBILITY

PSP164



SAVE ENERGY

Don't Waste It

TURN OF LIGHT FAN AC

PSP099

QUALITY FIRST

OUR AIM IS




ZERO Defects

PSP049

QUALITY ASSURANCE

Say No to rejects



Aim For Zero Defect

PSP052

AWARNESS POSTERS

GUIDLINE OF HANDWASH

1. Wet hands with water
हाथों को गीला करें
2. Apply enough soap to cover all hand surfaces
सबसे अच्छी तरह से हाथों को साबुन से ढकें
3. Rub hands palm to palm
हाथों को एक-दूसरे के पल्लों से रगड़ें
4. Right palm over back of the left hand and left palm over back of the right hand
दाहिने हाथ के पल्ले बाएं हाथ के पीठ पर रखें और बाएं हाथ के पल्ले दाहिने हाथ के पीठ पर रखें
5. Palm to palm with fingers interlaced
पल्लों को एक-दूसरे के पल्लों से रगड़ें
6. Backs of fingers to opposing palms with fingers interlocked
बाएं हाथ के पीठ को दाहिने हाथ के पल्लों से रगड़ें और दाहिने हाथ के पीठ को बाएं हाथ के पल्लों से रगड़ें
7. Rotational rubbing of left thumb clasped in right palm and vice versa
दाहिने हाथ के पल्लों में बाएं 엄지 को घुमाएँ और उल्टा
8. Rotational rubbing backwards and forwards with clasped fingers of right hand in left palm and vice versa
दाहिने हाथ के पल्लों में बाएं हाथ के पल्लों से घुमाएँ और उल्टा
9. Rinse hands with water
हाथों को पानी से धोएं
10. Dry your hands with hand dryer
हाथों को सूखाने के लिए हाथ सूखाने वाला यंत्र का उपयोग करें

PSP414

HOW TO WASH YOUR HANDS अपने हाथ कैसे धोएं

Personal Hygiene / व्यक्तिगत साफ सफाई

1. Wet hands in running water
हाथों को गीला करें
2. Take enough quantity of soap
साबुन लें
3. Rub hands palm to palm
जाग बनाए और मते
4. The first ingredient in every recipe is clean hands
हर अच्छे काम की शुरुआत साफ हाथों से होती है
5. Disinfect Hands
कीटाणनाशक दवा लगाएं
6. Dry hands properly
हाथों को अच्छी तरह सूखायें
7. Rinse hand with Water
खुब धोएं

PSP212



वीजली बचावो

PSP177

PRACTICE SAFETY

**YOUR FAMILY
YOUR FRIENDS
YOUR COMPANY**



DEPEND ON YOU

PSP171

**QUALITY
Only
U & I**



**MAKE IT HAPPEN
LET US**

PSP050

**WASH YOUR HAND BEFORE
GOING TO WORK PLACE**



**कार्यस्थल पर जता पहला
साबुथी बराबर हाथ धोवा.**

PSP031

**You Are Entering
Food Processing Area**



**Wear
Protective
Garments**



**Wash Your
Hands**



**NO
SMOKING**

PSP153

AWARNESS POSTERS

Pillars of Electrical Safety		विद्युत सुरक्षा के स्तंभ	विद्युत संधारमनीना स्तंभ	
Identification of Hazards		खतरों की पहचान	खतराभरी ओषण	
Shock & Burn शॉक एंड बर्न शॉक एंड बर्न	Electrocution इलेक्ट्रोक्यूशन इलेक्ट्रोक्यूशन	Arc Flash / Blast आर्क फ्लैश/ब्लास्ट आर्क फ्लैश/ब्लास्ट	Fire अग्नि अग्नि	Fall from height ड्रॉपट में गिरना ड्रॉपट में गिरना
Control Measures		नियंत्रण के उपाय	नियंत्रण उपाय	
Don't work on live Equipment बायव उपकरणों पर काम न करे बायव उपकरणों पर काम न करे	Don't use damaged equipment खरिब उपकरणों का उपयोग न करे खरिब उपकरणों का उपयोग न करे	Follow lockout & LOTO Procedures आरपीओएन और LOTO प्रक्रियाओं का पालन करे आरपीओएन और LOTO प्रक्रियाओं का पालन करे		
Appropriate PPE उपयुक्त पी.पी.ई. उपयुक्त पी.पी.ई.	Proper Maintenance सुचित रखरखाव सुचित रखरखाव	Proper Housekeeping सुव्यवस्थित रखरखाव सुव्यवस्थित रखरखाव	Proper Training & Education सुचित प्रशिक्षण और शिक्षा सुचित प्रशिक्षण और शिक्षा	
Emergency-Response		आपातकालीन-प्रतिक्रिया	आपातकालीन-प्रतिक्रिया	
Fire Extinguisher अग्निरोधक अग्निरोधक Fire extinguisher rated for C, BC, ABC should be used for Electrical Fire On-site use water based for extinguishers C, BC, ABC के लिए प्रयोग किए हुए अग्निरोधक का उपयोग प्रयोग करे के लिए उपयुक्त है। आपातकालीन प्रतिक्रिया के लिए उपयुक्त है। C, BC, ABC रेटेड फायर एक्सटिंग्विशरों का उपयोग उपयुक्त है। आपातकालीन प्रतिक्रिया के लिए उपयुक्त है।	Electro-shock and treatment विद्युतशॉक और उपचार विद्युतशॉक और उपचार Follow Electric Shock and Treatment Chart and inform to medical team विद्युतशॉक और उपचार चार्ट का पालन करे और चिकित्सक टीम को सूचित करे E-First Aid Chart पर उपरोक्त चिकित्सकीय प्रतिक्रियाएं लेना शुरू करे।			

PSP188

उर्जा बचाईये

पंखे, लाईट, कम्प्युटर
ए.सी., जरूरत न होने पर
ईन उपकरणों को
बंध रखे

उर्जा बचाने में अपना सहयोग दें।

PSP100

Electrical Safety

Look out for electrical hazards

Check regularly that your Residual Current Circuit Breaker (RCCB) is working by pressing the test button

Keep electricity and water apart

SAFE POWER SAVE POWER

PSP069

उर्जा बचावो

पंखा, लाइट, कम्प्युटर, ए.सी.,
उपयोगमां ना होय त्पारे
अंध राणो.

उर्जा बचावामां सहयोग आपो

PSP098

QUALITY FIRST OUR AIM IS

ZERO Defects

PSP049

CAUTION

A Faulty wire
Can start a FIRE!

PSP069

QUALITY Leads!

IT IS THE DIFFERENCE BETWEEN BEING AVERAGE OR BEING NUMBER ONE!

PSP051


QUALITY CIRCLE

SMALL GROUPS OF WORKERS JOINING HANDS TO MAKE IMPROVEMENTS!

PSP057

Handle All Chemicals Safety

Lab Coat, Goggles And Gloves
Help To Protect You In The
Event Of a Spill



SEE A HAZARD

REPORT IT

PSP356

Your RIGHT TO KNOW
is really
your
responsibility
to know.

Make sure
you know
the
potential
hazards
of every
substance
you work
with.

PSP069

5 Steps to HAZCHEM SAFETY

- 1** Know where material safety data sheet are kept
- 2** Store chemical in an appropriate storage facility
- 3** Put chemical away when not in use
- 4** Keep chemicals in their original containers
- 5** Dispose of chemical in an appropriate manner (environment friendly)

PSP229



એસિડ / આલ્કલી અંગેની સાવચેતી



- એસિડ અને આલ્કલીથી દાઝી જવાય છે.
- તેની વરાળ નુકશાનકારક છે.
- જો તેનાથી દાઝી જવાય તો દાઝેલા ભાગન પુષ્કળ પાણીથી ૧૫ મિનિટ સુધી સતત ધુઓ.

PSP001




સાવધાન સૂચના ભય



ચેતાવની સૂચના ખતરા

❖ એસિડ આલ્કલીક ગંભીર બળતરાનું કારણ બને છે અને તેના વરાળ અત્યંત જોખમી હોઈ શકે છે. સંપર્કના કિસ્સામાં અસરગ્રસ્ત ભાગને ઓછામાં ઓછા ૧૫ મિનિટ સુધી પાણીથી ભરપૂર ધોવો.

❖ એસિડ અને આલ્કલીક ગંભીર જલનના કારણ બનતે હોય છે અને આવા કિસ્સામાં અત્યંત ધીરપણાથી કાર્યવાહી કરવી જોઈએ. સંપર્કના કિસ્સામાં અસરગ્રસ્ત ભાગને ઓછામાં ઓછા ૧૫ મિનિટ સુધી પાણીથી ભરપૂર ધોવો.

એસિડ અને આલ્કલીક સાથે સંભાળવેલા સમય	એસિડ અને આલ્કલીક સાથે સંભાળવેલી વખતે
	 સાલામતી ચરમા પહેરો.
	 સુરક્ષા ચશ્મા પહેરો.
	 એસિડપ્રુફ ગ્લોવ્સ અને એપ્રોન પહેરો.
	 ગમવૂટ પહેરો.
	 યોગ્ય ધાસન ઉપલબ્ધ રાખો.
	 સુરક્ષા ચશ્મા પહેરો.
	 એસિડ પ્રુફ હાથ કે દુસ્તાને ઓફ ઇન્ડિયન પહેરો.
	 ગમવૂટ પહેરો.
	 ઉપયુક્ત ધાસન પહેરો.

PSP001

	કટોકટી કે સમય સાવધાની સલ્ફ્યુરિક એસિડ (H ₂ SO ₄)	
રસાયન અને શારીરિક ગુણધર્મો	વેરંગ, હલ્કા પીલા, જંગ ઉત્ક્રાંતિ અને એક મજબૂત ગંધ ધરાવતું પાણીમાં ઘુલનશીલ તરલ છે.	
સ્વાસ્થ્ય પર પ્રભાવ	ગંભીર લાંબી, સૂજન, સુદેહ - ઓક્સિજન પાણી, ત્વચા પર ચકત્તે, સૂજન, છિદ્ર અલ્સર, બ્રોન્કાઈટિસ, નિમોનિયાના કારણ બન શકતે હોય.	
હેલ્ડલિંગ અને ભંડારણ	ફાઈવર ટેન્કમાં સ્ટોર કરે તે પાણીને સંપર્કમાં ન આવે. જ્વલનશીલ પદાર્થો સાથે દુર રાખો. યુક્તિ જગ્યા અને ઇન્વેન્ટરીમાં સ્ટોર કરો.	
અપશિષ્ટ મિશ્રિત તરલ પદાર્થોના નિકાલ	ગિરે હુપ્ એસિડમાં સોડા પાવડર અને ચૂના મિલાવે અને પાણી સાથે ધીરે-ધીરે કાર્બોનિક સોડા એસિડ અને ચૂના ડાલે અને પાણી સાથે યોગ્ય રીતે મિલાવે અને ડ્રેઇન કરવું.	
સુરક્ષાત્મક ઉપકરણ	રસાયણ માટેના ખાસ હાથમોજા તથા ચટ્ટા પર માર્ક રેસ્પીરેટર લગાવો. રબર / પીવીસીના એપ્રોન તથા ગમવૂટ પહેરો.	
આગ જોખમ અને પ્રતિરોધી	આગ સળગી ઉઠે તો ફ્લોર પર એસિડ વધુ ફેલાય નહીં તેમ પાણીની પાણી બનાવી, ધીમા પ્રવાહ પાણી મિશ્ર કરો અને વહાવી દો.	
પ્રાથમિક ચિકિત્સા	અંગેની અસર સાથે તો ૧૫ મીનિટ મુખ પ્રમાણમાં પાણીથી ધુઓ. ત્વચાને અસર થાય તો તત્કાલિત ધોવાઈને ડાહ્યાને દુર કરો તથા મુખ પાણીથી સ્વચ્છ કરો. આસપાસના કાચા સાથે તત્કાલિત પડે તો કુચિત આસપાસના કાચા સાથે. જો એસિડ પેટમાં ગમે હોય તો ઉલટી કરવા દેવી નહીં. પરંતુ પાણી દુધ પુષ્કળ પીવાવડાવો. નર્સીંગના ડોક્ટરનો સંપર્ક કરવો.	

PSP001

	કટોકટી સમયે સાવધાની સલ્ફ્યુરિક એસિડ (H ₂ SO ₄)	
રસાયણ અને ભૌતિક ગુણધર્મો	વેરંગ, હલ્કા પીલા, જંગ ઉત્ક્રાંતિ અને એક મજબૂત ગંધ ધરાવતું પાણીમાં ઘુલનશીલ તરલ છે.	
સ્વાસ્થ્ય પર અસર	ગંભીર લાંબી, સૂજન, સુદેહ - ઓક્સિજન પાણી, ત્વચા પર ચકત્તે, સૂજન, છિદ્ર અલ્સર, બ્રોન્કાઈટિસ, નિમોનિયાના કારણ બન શકતે હોય.	
હેલ્ડલિંગ અને ભંડારણ	ફાઈવર ટેન્કમાં સ્ટોર કરે તે પાણીને સંપર્કમાં ન આવે. જ્વલનશીલ પદાર્થો સાથે દુર રાખો. યુક્તિ જગ્યા અને ઇન્વેન્ટરીમાં સ્ટોર કરો.	
અપશિષ્ટ મિશ્રિત તરલ પદાર્થોના નિકાલ	ગિરે હુપ્ એસિડમાં સોડા પાવડર અને ચૂના મિલાવે અને પાણી સાથે ધીરે-ધીરે કાર્બોનિક સોડા એસિડ અને ચૂના ડાલે અને પાણી સાથે યોગ્ય રીતે મિલાવે અને ડ્રેઇન કરવું.	
સુરક્ષાત્મક ઉપકરણ	રસાયણ માટેના ખાસ હાથમોજા તથા ચટ્ટા પર માર્ક રેસ્પીરેટર લગાવો. રબર / પીવીસીના એપ્રોન તથા ગમવૂટ પહેરો.	
આગ જોખમ અને પ્રતિરોધી	આગ સળગી ઉઠે તો ફ્લોર પર એસિડ વધુ ફેલાય નહીં તેમ પાણીની પાણી બનાવી, ધીમા પ્રવાહ પાણી મિશ્ર કરો અને વહાવી દો.	
પ્રાથમિક સારવાર	અંગેની અસર સાથે તો ૧૫ મીનિટ મુખ પ્રમાણમાં પાણીથી ધુઓ. ત્વચાને અસર થાય તો તત્કાલિત ધોવાઈને ડાહ્યાને દુર કરો તથા મુખ પાણીથી સ્વચ્છ કરો. આસપાસના કાચા સાથે તત્કાલિત પડે તો કુચિત આસપાસના કાચા સાથે. જો એસિડ પેટમાં ગમે હોય તો ઉલટી કરવા દેવી નહીં. પરંતુ પાણી દુધ પુષ્કળ પીવાવડાવો. નર્સીંગના ડોક્ટરનો સંપર્ક કરવો.	

PSP001

CONSTRUCTION POSTERS



PERSONAL PROTECTIVE EQUIPMENTS

Safety Helmet		ALWAYS WEAR YOUR SAFETY EQUIPMENTS FOR YOUR SAFETY
Ear Plug / Muff		
Coverall		
Safety Goggles		
Hand Protection		
Safety Shoes		

A ZERO HARM COMPANY

PSP066

આ સાઈટ પર સુરક્ષા સાધનોનો ઉપયોગ કરવો જરૂરી છે.

તકરાર કરવી નહીં.

PSP267

હસ સાઈટ પર સુરક્ષા સાધન કા પ્રયોગ આવશ્યક છે

NO EXCUSES

PSP265

નિર્માણ ક્ષેત્ર
પોતાના વ્યક્તિગત સુરક્ષા સાધનોનો ઉપયોગ કરો.

નિર્માણ ક્ષેત્ર
સ્વયં કે વ્યક્તિગત સુરક્ષા ઉપકરણ કા ઉપયોગ કરો.

PSP147

યાદ રાખો... સુરક્ષા નિયમોનો કરો સંગ રાખે શરીરને અભંગ

હું કોઈ પણ કામ પી.પી.ઈ.ના ઉપયોગ વગર નહી કરુ અને કામના સમયે સુરક્ષા મારો પ્રથમ દ્યેય છે.

PSP139

SITE SAFETY MANDATORY

- ALL VISITOR MUST REPORT TO SITE OFFICER
- HARD HATS**
- SAFETY GLASSES**
- HIGH VISIBILITY VEST**
- SAFETY SHOES**

PSP343

कार्य स्थल सुरक्षा के नियम

- 1 खुद की और दूसरों की सलामती की जिम्मेदारी आपकी है।
- 2 कोई भी अकस्मात को रोका जा सकता है।
- 3 नीयमों से चले शॉर्टकट ना अपनाये।
- 4 आपको जिसका महावरा नहीं है वो काम ना करें।
- 5 सही साधनों का सही इस्तेमालका करें।
- 6 कार्य करने से पहले उसमें रहे जोखिम का अभ्यास करें।
- 7 खुल्ले कपड़े ना पहने।
- 8 काम के दौरान छेड़छानी ना करें, गंभीरता से काम करें।
- 9 आसपास की चीजे योग्य रखे।
- 10 जरूरी सुरक्षा साधन का उपयोग करें।



PSP255

कार्यस्थले सलामतीना नियमो

- 1 પોતાની અને બીજાની સુરક્ષાની જવાબદારી તમારી છે.
- 2 કોઈ પણ અકસ્માત રોકી શકાય છે.
- 3 નિયમોથી ચાલો શોર્ટકટ ના અપનાવો.
- 4 આપને જેની જાણકારી નથી તે કામ ન કરો.
- 5 સાચા સાધનોનો ઉપયોગ કરો.
- 6 કામ કરતા પહેલા તેમાં રહેલા જોખમોનો અભ્યાસ કરો.
- 7 ખુલ્લા કપડા ના પહેરો.
- 8 કામ દરમિયાન છેડછાડ ના કરો. ગંભીરતાથી કામ કરો.
- 9 આસપાસની વસ્તુઓ યોગ્ય જગ્યાએ મુકો.
- 10 જરૂરી સુરક્ષાના સાધનોનો ઉપયોગ કરો.



PSP269

સુરક્ષા ઉપકરણોની તાલિમ



PSP064


YOUR LOGO COMPANY NAME

ઊંચાઈ પર કામ કરતે સમય



સુરક્ષા બેલ્ટ પહનીયે


PSP303



ઊંચાઈ પર કામ કરતી વખતે

સેફ્ટી બેલ્ટ પહેરવો.

PSP302



ઉંચાઈ ઉપર કામ કરતાં સમયે તમારી જાતને પડતા બચાવો.

કું તો ઉંચાઈ પર કામ કરવા તૈયાર છું. તમારી શું તૈયારી છે?

PSP122



CONSTRUCTION POSTERS



SAFE LIFTING OPERATION

OBSERVE SAFE LIFTING PRACTICES AT ALL TIMES

1. Do not lift with a twisted back. 2. Do not lift with your arms extended. 3. Do not lift with your feet on a ledge. 4. Do not lift with your back to the load. 5. Do not lift with your feet on a ledge. 6. Do not lift with your feet on a ledge. 7. Do not lift with your feet on a ledge. 8. Do not lift with your feet on a ledge. 9. Do not lift with your feet on a ledge. 10. Do not lift with your feet on a ledge.

सावधान
सुरक्षा के साधन

आपकी खुदकी सुरक्षा के लिये

एक ठगो...
कमरा धरिये...
तमारी वरुत छे
सुखकी काम करे.

तमारी सुरक्षा

तमारा न हाथमां छे.

दुर्घटना
बडी हो या छोटी

उन सभी से बचें

WHEN WORKING ON HEIGHT

USE SAFETY BELT

PSP301

सावधान
सुरक्षा के साधन

आपकी खुदकी सुरक्षा के लिये

मे सुरक्षीत और आप

PSP320

Be An "In" Visible Man

By Wearing High Visibility Clothing

PSP334

सड़ाई अजे सुरक्षा छे.

सड़ाई कामदार साक करी लजे आ काम मारु नथी.

सड़ाई अने सुरक्षा आपका अधानी जवाबदारी छे.

PSP123

शु आप पांभी धरावो छो?

जी ना, ती उवाएँ उपर काम करवा योग्य सिडीनी न उपयोजन करे.

PSP124

पोतानी सुरक्षा मां क्यां विराम नथी होतो.. भाएँ..

PSP121

CONSTRUCTION POSTERS

SITE SAFETY NOTICE

Under the Health & Safety Work Act 1974 all persons entering this site must comply all the regulations under this Act. All visitors must report to the site office and obtain permission to proceed on to the site or any work area. Safety signs and procedures must be observed and personal protection and safety equipment must be worn at all times.

- Unauthorized entry to this site is strictly prohibited**
- Danger Construction work in progress**
Parents are advised to warn children of the dangers of entering construction sites
- Safety helmets must be worn**
- Protective footwear must be worn**

PSP190

મટીરીયલ સેફ્ટી ડેટા શીટ - સલ્ફ્યુરિક એસિડ

ક્રમ	પ્રતિક સંબંધિત વસ્તુ	ઓછામાં ઓછી જાણ	સ્વચ્છતા અને સુરક્ષા અંગત વ્યવહારમાં અનુસરવામાં આવનાર મિલકતીય પદાર્થો	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી
૧	પ્રતિક સાચું વેચાણ અને સુરક્ષા	મુશ્કેલ વસ્તુઓ	પ્રતિક સાચું વેચાણ અને સુરક્ષા	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી
૨	પ્રતિક સાચું વેચાણ અને સુરક્ષા	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી
૩	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી
૪	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી	પ્રતિકારક સામગ્રી

PSP322

Do's & DON'Ts

Filling Cum storage facility for CNG

	DON'T ENTER WITHOUT PPEs AS PER PPE MATRIX
	DO NOT SMOKE.
	DO NOT USE MOBILE PHONE.
	DO NOT BRING LIGHTER OR MATCH BOXES.
	ENTRY ALLOWED FOR AUTHORIZED PERSONS ONLY.
	IN CASE OF EMERGENCY, ASSEMBLE AT NEAREST EMERGENCY ASSEMBLY POINT.

PSP504

WAREHOUSE NOTICE

Caution
Forklift trucks operating

- No Unauthorised persons allowed beyond this point**
- High visibility jackets must be worn**
- Protective footwear must be worn**
- Pedestrians must keep to walkways**

PSP409

SAFETY INSTRUCTION

- SMOKING IS STRICTLY PROHIBITED.**
ધુમ્રપાનની સખત મનાઇ છે.
- CHEWING GUTKHA, TOBACCO, PAN IS STRICTLY PROHIBITED.**
ગુટકા, પાન - મસાલાની સખત મનાઇ છે.
- PHOTOGRAPHY IS PROHIBITED.**
ફોટોગ્રાફીની મનાઇ છે.
- CHILD LABOUR (BELOW 18 YEARS AGE) IS PROHIBITED.**
અહીંયા અધાર વર્ષથી નીચેની વયના બાળકો પાસે કામ કરાવવામાં આવતું નથી.
- WEAR PERSONAL PROTECTIVE EQUIPMENTS INSIDE THE PLANT.**
કંપનીની અંદર પોતાની સુરક્ષા સાધનો અવશ્ય પહેરવા.

PSP434

YOUR LOGO

Scaffolding Safety

ઝંચાઈ પર કાર્ય, સુરક્ષિત મથાન વાંધિય

- વ્યાજ સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**
- સુરક્ષિત મથાન પર કાર્ય કરવા માટે જરૂરી છે.**

PSP067

WELCOME TO

Your Logo

SAFETY INSTRUCTIONS FOR VISITORS

- All visitors and drivers must report to security.**
- Do not use mobile phone inside the factory premises.**
- Use of camera within the factory premises is prohibited.**
- Smoking inside the factory premises is strictly prohibited.**
- Gutkha, Pan Masala & Liquor is strictly prohibited in factory premises.**
- Wear safety helmet and safety shoes while entering the factory premises.**
- On hearing siren in case of emergency, report to the nearest assembly point.**
- Do not carry weapons, explosives or illegal items inside the factory area.**

PSP548

LIFT SAFELY

Use your legs when lifting.....
Not your back



PSP292



बाल श्रम निषेध
**CHILD LABOUR
PROHIBITED**

EDUCATION IS THEIR RIGHT, STOPPING CHILD LABOUR IS OUR FIGHT

यहा पर १८वर्ष से कम उम्र के नाबालिको को
कार्यरत नही किया जाता है।

PERSONS BELOW 18 YEARS OF AGE ARE NOT EMPLOYED HERE.

PSP167

SAFETY INSTRUCTION



SMOKING IS STRICTLY PROHIBITED.
धूम्रपाननी सख्त मनाई छे.



**CHEWING GUTKHA, TOBACCO, PAN
IS STRICTLY PROHIBITED.**
गुटका, पान - मसालानी सख्त मनाई छे.



PHOTOGRAPHY IS PROHIBITED.
फोटोग्राफीनी मनाई छे.



**CHILD LABOUR (BELOW 18 YEARS AGE)
IS PROHIBITED.**
अहीया अठार वर्षथी नीचेनी वयना जाणको
पासे काम करावचामां आवतुं नथी.



**WEAR PERSONAL PROTECTIVE
EQUIPMENTS INSIDE THE PLANT.**
कंपनीनी अंदर पोतानी सुरक्षाणा साधनो
अवश्य पहरेवा.

PSP434



LISTEN UP!
PROTECT YOUR HEARING

PSP145

SAFE

S = STAYING

A = ACCIDENT

F = FREE

E = EVERYWHERE



PSP065

ACCIDENT BIG OR SMALL



AVOID THEM ALL

PSP254

**Are Your
Gloves The
Correct
Type For
The Job?**



**PPE - You are Not
Protected Without it**

PSP338

**I CARE FOR MY
FAMILY**



I FOLLOW SAFETY

PSP017

DO AND DON'T POSTER

SAFE USAGE OF CHEMICALS

Do's

1. Store chemicals in their original containers and keep the containers tightly closed.
2. Read all instruction written on label of container before use.
3. Handle / Store chemicals in a well-ventilated area
4. Wash your hands thoroughly after using the chemicals.

Don'ts

1. Don't remove the labels from chemical containers.
2. Don't store food containers near chemicals.

Do's & DON'Ts

Filling Cum storage facility for CNG

- DON'T ENTER WITHOUT PPEs AS PER PPE MATRIX**
- DO NOT SMOKE.**
- DO NOT USE MOBILE PHONE.**
- DO NOT BRING LIGHTER OR MATCH BOXES.**
- CAUTION AUTHORIZED PERSONNEL ONLY**
- ENTRY ALLOWED FOR AUTHORISED PERSONS ONLY.**
- IN CASE OF EMERGENCY, ASSEMBLE AT NEAREST EMERGENCY ASSEMBLY POINT.**

कार्य पर विद्युत सुरक्षा

कर्मचारियों के लिए एक "Do" और "Don'ts" चेक सूची

Do....

- काम पर काम करने से पहले सभी विद्युत के उपकरणों को डिस्कनेक्ट या अलग करें।
- सीकुरत रबर के दस्ताने और रबड़ के जूते और जूते पहनें।
- नया सर्किट पर इन्सुलेट बटॉर्ई सब उपकरण करें।
- अपने पर्यवेक्षक को तुरंत विजली के त्रुटियों की रिपोर्ट करें।
- सुरक्षा चिन्ह की सूचना में।

Don't....

- धातु की वस्तुओं पहने जो विजली के कंडक्टर के रूप में कार्य कर सकते हैं।
- ढीले कपड़ों पहने जो तारों या मशीनरी में जलखन कर सकते हैं।
- घानी या नम सातों की सूए।
- फिरे हुए धातु या नंगे तार सघों करें।
- ऐसा करने के लिए प्रशिक्षित और अतिकृत होने तब, सकिट्स और प्लग इन स्थापित या मरगत करें।
- एक सकिट में एक प्लग को फिट करने के लिए घुमो फिट नहु करें।

PSP245

ELECTRICAL SAFETY AT WORK

A "Do's" and "Don'ts" check list for employees.

Do....

- Disconnect or isolate all electrical equipment before working on it.
- Wear approved rubber gloves and rubber-soled shoes and boots.
- Use insulating mat on damp surfaces.
- Report electrical faults to your supervisor immediately.
- Take notice of safety sign.

Don't....

- Wear metal objects which may act as conductors of electricity.
- Wear loose clothing which might tangle in wiring or machinery.
- Touch water or damp surfaces.
- Touch unearthed metal or bare wires.
- Install or repair sockets and plugs, unless trained and authorised to do so
- Break off an earth pin to fit a plug in to a socket

PSP249

काम पर धलेडिडरुल सलामती

कर्मचारियों के लिये एक "Do" और "Don'ts" चेक लिस्ट

डो....

- 1) काम पर काम करने से पहले सभी विद्युत उपकरणों को डिस्कनेक्ट या अलग करें।
- 2) मजबूत रबर के दस्ताने और रबर के जूते पहनें।
- 3) ढीले कपड़ों पहनें जो तारों या मशीनरी में जलखन कर सकते हैं।
- 4) नया सर्किट पर इन्सुलेट बटॉर्ई सब उपकरण करें।
- 5) अपने पर्यवेक्षक को तुरंत विजली के त्रुटियों की रिपोर्ट करें।
- 6) सुरक्षा चिन्ह की सूचना में।

ना डो....

- 1) धातु की वस्तुओं पहने जो विजली के कंडक्टर के रूप में कार्य कर सकते हैं।
- 2) ढीले कपड़ों पहने जो तारों या मशीनरी में जलखन कर सकते हैं।
- 3) घानी या नम सातों की सूए।
- 4) फिरे हुए धातु या नंगे तार सघों करें।
- 5) ऐसा करने के लिए प्रशिक्षित और अतिकृत होने तब, सकिट्स और प्लग इन स्थापित या मरगत करें।
- 6) एक सकिट में एक प्लग को फिट करने के लिए घुमो फिट नहु करें।

PSP505

DO'S AND DON'TS SAFETY GOGGLES

DO'S

- Goggles should be cleaned before and after use
- Goggles should only be kept in their respective place

DON'TS

- Never keep the goggle face down
- Never use a goggle with scratched or damaged glass

PSP360

DO'S AND DON'TS SAFETY HELMET

DO'S

- Start your work only after wearing your helmet
- Check the helmet regularly for any signs of damage or deterioration replace the helmet if needed
- When the helmet is not in use, store it in a safe place
- Update the headband and chinstrap so that there are no chances of the helmet falling down
- Clean the helmet and avoid head regularly

DON'TS

- Do not wear the helmet in direct sunlight or dust
- Never share the helmet or direct sunlight or excessive heat

PSP359

DO'S AND DON'TS SAFETY BELTS

DO'S

- Share the belt to clean polythene bags away from overhead structures, when not in use.
- Leather belt should be used
- Center all should be applied to leather belt to have them sturdy
- Cotton and nylon belt should be cleaned and dried after every use
- Belt hardware should be checked regularly for any damage

DON'TS

- Mineral oil containing oil should not be applied to leather belts
- Do not use belts with any cuts or scratches

PSP363

DO'S AND DON'TS SAFETY HAND GLOVES

DO'S

- Clean and dry the gloves before and after use
- Electric duty gloves should be worn only on dry hands
- Inspect the gloves for any cracks or tears before using them if found, discard them

DON'TS

- Do not expose the rubber gloves to high temperatures or direct sunlight
- Do not use mineral oil on leather gloves

PSP361

DO AND DON'T POSTER

Do's and Don'ts

BATTERY CARE & MAINTENANCE

Do's

- The storage room and charging room should be dry and ventilated.
- Stacking of batteries should be in a proper manner and not more than 4 batteries.
- Batteries should be stored upright.
- Batteries should be handled on a first in first out (FIFO) basis.
- Recharge the batteries with constant current and constant voltage (CCCV) charger with charging current at 8 to 10% rated capacity (I₀ charged 14.4VDC).
- Use good quality charging clips / wires to connect batteries during charging.
- Before connecting or disconnecting a battery in the charging circuit, the charger should be put off first.
- Always use proper ampere hour battery as per the maximum load to be connected with the inverter.
- Check the inverter cut off within the specified limit of voltage range 13.8 volt to 14.4 volts for upper cut off and 10.5 volts for lower cut off.
- Charging current shall be 8 to 10% of the rated capacity of the battery.
- Install the inverter & battery in a ventilated area away from rain / water.
- Use appropriate battery equalizers for balancing of batteries connected in series.
- All connections should be proper / tight so that sparking does not occur.
- After installation, use the battery on a continuous basis. If a power cut does not occur, discharge the battery completely once in a month.
- Keep the top of the battery clean, to prevent clogging of vent holes. Clogging leads to accumulation of hydrogen gas which may cause the battery to burst. Use a moist cotton cloth for cleaning the battery.
- Keep the battery terminals clean and free from accumulation of dust.
- Apply petroleum jelly or vasoline on the terminals, bolts and nuts to avoid corrosion.
- Check the battery case in every 2 months for the water level. This is to be maintained between the maximum & the minimum level. If the level is low, then top up with distilled water (DM water) only.

Don'ts

- Do not store batteries with other items.
- Do not keep more than 4 batteries to avoid terminal damage, packing damage, container damage.
- Batteries should not be stored sideways.
- Do not try to fast-charge with higher currents as this will damage the battery and lead to reduce battery life.
- Do not use broken clips or frayed wires for charging.
- Do not connect or remove a battery from charging circuit during charging process.
- Do not use the battery in the wrong application (inverter/UPS battery with inverter/UPS only and automotive battery with vehicular only).
- If the charger / inverter output is beyond the specified limit than recommended, it will need frequent topping up with distilled water.
- A battery emits explosive gases. Keep spark, flames, candle or other ignition sources away at all times. Always wear safety goggles or a face shield when working near a battery.
- Do not cover the inverter with any cloth or paper.
- Never touch the battery terminal while being charged.
- Do not keep the battery idle for more than one month.
- Deposits of rust or foreign particles in the terminal will lead to a drop in the voltage/current.
- Do not short the terminals of the battery to check whether the battery is in good condition or not. Avoid metal contacts across terminals.
- Never apply grease to terminals because it has a lot of minerals and is flammable.
- Never add any acid.
- Topping up above the maximum marking level will lead to overflow, which will erode corrosion in the metal parts and weaken the electrolyte strength.

PSP368

Don't Take Chances with Electricity

Five Key tips to stay safe

- Don't use electrical equipment near water sources.
- Never use electrical equipment with frayed power cords.
- Avoid digging or gardening near underground electrical equipment.
- Watch out for overhead power lines when working or playing outdoors.
- Place safety caps over all unused electrical plugs.

PSP238

SNAKE BITES: DO'S AND DON'TS

- Stay calm.
- Call immediately to be evaluated.
- Talk off anything constricting the area, such as a ring or watch.
- Position the affected area at or about heart level. If you are bitten on the hand, bring it to heart level, and if you are bitten on the leg or foot, elevate it if possible.
- Go to the emergency room - the sooner the better.
- Don't apply a tourniquet or a constriction band.
- Don't apply ice; it can cause foot tissue damage.
- Don't apply heat.
- Don't cut the affected area and attempt to suck the venom out.
- Don't use a commercially-available extraction device.
- Don't use electrical therapy.
- Don't apply any type of lotions or ointments.

PSP366

MCP - Do's and Don'ts

Do's	Don'ts
Always keep MCP (Manual call post) free from obstruction.	Block MCP.
Use in case of fire.	Make a trail if you are not aware to check it will give alarm or not.
Inform to Safety team if found damaged.	Clean MCP when it is energized.
Maintain clearance for MCP while moving.	Lean on MCP.

Learn our self, Learn every Day - Practice Every day - Prevent an Accident.

PSP389

MCP - Do's and Don'ts

Do's	Don'ts
Always keep MCP (Manual call post) free from obstruction.	Block MCP.
Use in case of fire.	Make a trail if you are not aware to check it will give alarm or not.
Inform to Safety team if found damaged.	Clean MCP when it is energized.
Maintain clearance for MCP while moving.	Lean on MCP.

Learn our self, Learn every Day - Practice Every day - Prevent an Accident.

PSP390

The Do's & Don'ts of Social Media

DO

- Define your target market and how they will create value to your brand.
- Create a monthly calendar for scheduling out posts.
- Keep messages consistent with the brand - show brand personality.
- Build a strong social network who will share your content.
- Be engaging post and communicate on a regular basis.
- Be a good listener and respond to feedback respectfully and in a timely manner.
- Embrace some negativity from your audience - studies show that a little negativity on a SM site is seen as credible.
- Use generic and bland marketing techniques- make it individual and unique to your brand.
- Rely on only one SM application-all sites have strengths and weaknesses, leverage and apat each site's.
- Be negative- no one likes a naysayer, emphasize your strengths instead of putting down competitors.

DON'T

- Use social media to overtly sell- instead use to educate, inform and entertain to show expertise in the field.
- Overwhelm followers with too much information at once choose only high value content to share.

PSP367

DO'S AND DON'TS SAFETY HELMET

DO'S

- Start your work only after wearing your helmet.
- Check the helmet regularly for any signs of damage or deterioration- replace the helmet if evident.
- Wear the helmet right way round.
- Tighten the headband and adjust so that there are no shadows of the helmet falling down.
- Clean the helmet and sweat band regularly.

DON'TS

- Do not wear the helmet in direct sunlight or under heat.
- Never take the helmet in direct sunlight or excessive heat.

PSP362

DON'T OVERLOAD

One of the leading causes of electrical accidents is overloaded sockets and extensions.

PSP201

Manuan Handling Dos and Don'ts at workplace

Lifting

Workbenches should be at waist height or be adjustable to prevent.

Turning

Ensure that there is enough room to turn around to prevent twisting.

Reaching Overhead Items

Use elevating platforms or step stools or step ladders to reach over.

Moving

Use trolleys to move the boxes from one place to another place.

On Staircase

Use elevating platforms or step stools or step ladders to reach over.

PSP246

Do's and Don'ts of EMPLOYER BRANDING

DO'S	DON'TS
Understand your existing employer brand.	Detach your employer brand with your overall brand.
Make sure your employer brand is aligned with your overall goals.	Underestimate the power of your employer brand.
Monitor and measure the strength of your employer brand.	Assure you know what employees really think.
Make your employer brand real in your organization.	Compare costs with your employee brand.
Communicate your employer brand consistently.	Think of your employer branding as a discrete project.

PSP364

DO AND DON'T POSTER

Dos and Don'ts in Safe Use of CHEMICALS

Know the hazard before using the chemicals. Before using the containers, the hazardous properties of all chemicals involved and the possible hazards of every stage of the process should be fully understood. Appropriate safety measures can then be taken.

Use appropriate control measures and personal protective equipment
Appropriate control measures (such as engineering control) should be used to reduce the exposure to the hazard to the lowest level. Personal protective equipment should only be a supplement to, and not in lieu of, control measures, and should be selected appropriate to the hazards to be encountered.

Keep the work area well-ventilated, or even work under local exhaust ventilation
Always keep the work area well-ventilated to avoid accumulation of hazardous gas/exposure. Increase the ventilation by mechanical means if necessary. In case where more hazardous chemicals or processes are encountered, work under local exhaust ventilation.

Keep away from any ignition source when handling flammable substances
Ignition source may ignite the vapour of the flammable substance, and even lead to explosion.

Don't eat, drink and smoke
Dangerous substances can easily enter the body while eating, drinking or smoking during use of chemicals, and would be injurious to health.

Don't mix acid with bleaching solution
When bleaching solution is mixed with acid, reaction occurs spontaneously liberating toxic gases.

Don't touch chemicals with bare hands. Wear protective gloves.
Dangerous substances can easily enter the body through the skin while touching chemicals with bare hands, and would be injurious to health. If the chemical is corrosive, the hands will suffer from chemical burn. Appropriate protective gloves should be worn.

Don't suck chemicals with your mouth. Use appropriate liquid delivery tools.
Dangerous substances can easily enter the body during sucking chemicals with mouth, and would be injurious to health. If the chemical is corrosive, the mouth will suffer from chemical burn. Appropriate liquid delivery tools such as hand pumps should be used.

Don't use containers with narrow opening for a process that evolves heat and/or gases.
As the opening of the container is narrow, the releasing gas bubble may carry along hot liquid out of the container. At the same time, the heat and gas generated may spontaneously increase the pressure inside the container which consequently burst. It will be more hazardous if dangerous substances are involved.

Don't mix oxidizing agents with flammable / combustible substances
When oxidizing agent such as potassium permanganate is in contact with flammable / combustible substances, including sugar powder, carbon powder, zinc dust, wood dust, etc., vigorous oxidation reaction may occur spontaneously involving large amount of heat and possibly gases. This may also lead to fire and explosion.

PSP365

Do's & DON'Ts Filling Cum storage facility for CNG

 **DON'T ENTER WITHOUT PPEs AS PER PPE MATRIX**

 **DO NOT SMOKE.**

 **DO NOT USE MOBILE PHONE.**

 **DO NOT BRING LIGHTER OR MATCH BOXES.**

 **ENTRY ALLOWED FOR AUTHORISED PERSONS ONLY.**

 **IN CASE OF EMERGENCY, ASSEMBLE AT NEAREST EMERGENCY ASSEMBLY POINT.**

PSP504

PERSONAL PROTECTIVE EQUIPMENTS

HELMET	
DO'S	DON'TS
<ul style="list-style-type: none"> Always ensure any other safety gear is fitted Don't use helmet expiring from expiry date of expiration date/manufacturer's expiry Don't use helmet if damaged Always use helmet with chin strap Always use helmet with correct size 	<ul style="list-style-type: none"> Don't use helmet for other purpose Don't use helmet for other purpose

GOGGLES	
DO'S	DON'TS
<ul style="list-style-type: none"> Always ensure correct fit and use only on eyes Always ensure correct fit and use only on eyes 	<ul style="list-style-type: none"> Don't use goggles for other purpose

GLOVES	
DO'S	DON'TS
<ul style="list-style-type: none"> Always ensure correct fit and use only on hands Always ensure correct fit and use only on hands 	<ul style="list-style-type: none"> Don't use gloves for other purpose

SHOES	
DO'S	DON'TS
<ul style="list-style-type: none"> Always ensure correct fit and use only on feet Always ensure correct fit and use only on feet 	<ul style="list-style-type: none"> Don't use shoes for other purpose

BELTS	
DO'S	DON'TS
<ul style="list-style-type: none"> Always ensure correct fit and use only on waist Always ensure correct fit and use only on waist 	<ul style="list-style-type: none"> Don't use belts for other purpose

PSP358

SAFE USAGE OF CHEMICALS

DO'S

1. Store chemical in their original containers and keep the containers tightly closed.
2. Read all instructions written on label of container before use.
3. Handle/ Store chemicals in a well ventilated area.
4. Wash your hands thoroughly after using the chemicals.

DON'TS

1. Don't remove the labels from chemical containers.
2. Don't store food containers near chemical

PSP357

SAFE USAGE OF CHEMICALS

Do's

1. Store chemicals in their original containers and keep the containers tightly closed.
2. Read all instruction written on label of container before use.
3. Handle / Store chemicals in a well-ventilated area
4. Wash your hands thoroughly after using the chemicals.

Don'ts

1. Don't remove the labels from chemical containers.
2. Don't store food containers near chemicals.

PSP081

5'S સોટ

આ કરો	આ ન કરો
<ul style="list-style-type: none"> અલગ તારવવા માટે નિશ્ચિત રીતે માર્ગદર્શિકા નિધારીત કરો. શંકાસ્પદ ચીજોને એક સપાટ માટે રેડ ટેગ વિસ્તારમાં મુકો. રેડ ટેગ સિસ્ટમનો ઉપયોગ કરો. સ્લાઇને જરૂરી ચીજોનું પુન:મુલ્યાંકન કરવાની મંજૂરી આપો. 	<ul style="list-style-type: none"> પ્રોડક્ટ કેટેગરી નક્કી કરવા મા સમયનો બગાડ. એક વખત ચીજોને અલગ તારવવામાં આવે કે, નિસ્ચંક રીતે પાછી મુકવી નહીં અને તેના સ્થાને ફરી મુકવો નહીં. ચીજોની કેટેગરી નક્કી કરવા માટે અલગ વિભાગ સાથે દર્શાવ કરવાનું યાજો.

PSP474

5'S કમમાં ગોઠવવું

આ કરો	આ ન કરો
<ul style="list-style-type: none"> રેડક / ગોપ ફલોર ટેબલ ટેબલો તેનામાટે વિસ્તરુણલ મેપીંગ પ્લાન ટેબલ કરો. સ્વચ્છ રીતે ગોઠવી વડાયા તે માટે સમાન ચીજોને એકત્રીત કરો ઉદા. અલગ સ્કુ મુકવર ટેબલ એક સ્થાને મુકી વડાયા. વર્કટાઇમ જગ્યાનો ઉપયોગ કરો. ઉદા. તમે વિવિધ કુટ્ટને સાથે છત સુધી અને ચોગ લાગે ત્યારે રેડ સુધી વર્ક જઈ જાઓ છો. જે ચીજોનો વારંવાર ઉપયોગ થતો હોય તેને તેની નજીક મુકવી જોઈએ. 	<ul style="list-style-type: none"> દલગ વેખવાની ગુણવત્તાનો ઉપયોગ કરવો નહીં તે ઠગઈવામાં ઘટાડો કરવો. તમામ નાવા દુરક અને રેડક લેવાનું ભૂલવો નહીં. વારંવાર વપરાતી ન હોય તેવી ચીજોને રેડક અથવા ગોપ ફલોરની નજીક સંગ્રહીત કરવો નહીં.

PSP475

5'S ચળકાર

આ કરો	આ ન કરો
<ul style="list-style-type: none"> સ્પર્શ પ્રવૃત્તિઓ વખતે હમેશા સેફ્ટી ઈક વીપમેન્ટ પેમ કે ગમ વુટ અથવા મારક. ડોકચુમેન્ટ અને કર્મચારી નોટીસોને લેમિનેટ કરો જેઓ 5'S પ્રોજેક્ટમાં અને નવા સંગઠિત વિસ્તારમાં સ્થાન લેનારા સ્થળો એમ બંને માટે ઉપયોગ થયે. જ્યારે દિવાલો અથવા અન્ય વિસ્તારોને ફરીથી ફિટરીંગ કરાવો ત્યારે પરાંવરણ ના કારણદ અને તમારી ટીમની સલામતી, એમ બંને માટે ઓછા / ઘિન ઝેરી રંગોને પસંદ કરો. 	<ul style="list-style-type: none"> ગો ઝીબની સ્પર્શ માટે ખેંખમી લેનિકલ્સનો ઉપયોગ કરવો નહીં. ફિલ્મીંગ ઈક વીપમેન્ટવા સંગઠ માટે અલગ જગ્યા કરો.

PSP476

ELECTRICAL POSTERS

ELECTRICAL SAFETY AT WORK

A "Do's" and "Don'ts" check list for employees.

Do....

- Disconnect or isolate all electrical equipment before working on it.
- Wear approved rubber gloves and rubber-soled shoes and boots.
- Use insulating mat on damp surfaces.
- Report electrical faults to your supervisor immediately.
- Take notice of safety sign.

Don't....

- Wear metal objects which may act as conductors of electricity.
- Wear loose clothing which might tangle in wiring or machinery.
- Touch water or damp surfaces.
- Touch unearthed metal or bare wires.
- Install or repair sockets and plugs, unless trained and authorised to do so
- Break off an earth pin to fit a plug in to a socket!



PSP249

कार्य पर विद्युत सुरक्षा

कर्मचारियों के लिए एक "डू" और "डॉनट्स" चेक सूची

DO....

- दूर पर काम करने से पहले सभी बिजली के उपकरणों को डिस्कनेक्ट या अलग करें।
- सुरक्षित एरर के इस्तेमाल और रबर के जूते और ग्लोव्स पहनें।
- नम सतहों पर इन्सुलेंट मट का उपयोग करें।
- अपने पर्यवेक्षक को तुरंत बिजली के दोषों की रिपोर्ट करें।
- धुराका चिन्ह की ध्यान में।

Don't....

- धातु की वस्तुओं पहनें जो बिजली के कंडक्टर के रूप में कार्य कर सकते हैं।
- ढीले कपड़ों पहनें जो तारों या मशीनों में जलजान कर सकते हैं।
- पानी या नम सतहों को छूएं।
- छिपे हुए धातु या नंगे तार स्पर्श करें।
- पेरा करने के लिए प्रतिशिक्षित और अधिकृत होने तक, सर्किट्स और तारा दम इस्तेमाल या गमलत करें।
- एक सर्किट में एक प्लग को फिट करने के लिए दूसरी पिन बंद करें।



PSP245

काम पर धलेकिट्टकल सलामती

कर्मचारियों के लिए "डू" और "डॉनट्स" चेक सूची

डू....

- काम से पहले सभी बिजली के उपकरणों को डिस्कनेक्ट या अलग करें।
- सुरक्षित एरर के इस्तेमाल और रबर के जूते और ग्लोव्स पहनें।
- नम सतहों पर इन्सुलेंट मट का उपयोग करें।
- अपने पर्यवेक्षक को तुरंत बिजली के दोषों की रिपोर्ट करें।
- धुराका चिन्ह की ध्यान में।

ना डू....

- धातु की वस्तुओं पहनें जो बिजली के कंडक्टर के रूप में कार्य कर सकते हैं।
- ढीले कपड़ों पहनें जो तारों या मशीनों में जलजान कर सकते हैं।
- पानी या नम सतहों को छूएं।
- छिपे हुए धातु या नंगे तार स्पर्श करें।
- पेरा करने के लिए प्रतिशिक्षित और अधिकृत होने तक, सर्किट्स और तारा दम इस्तेमाल या गमलत करें।
- एक सर्किट में एक प्लग को फिट करने के लिए दूसरी पिन बंद करें।



PSP505



धलेकिट्टकल उपकरणों साथे छेडछाड न करशो.




PSP242

ONLY YOU CAN PREVENT ELECTRIC FIRES DON'T OVERLOAD



PSP015

DON'T OVERLOAD



One of the leading causes of electrical accidents is overloaded sockets and extensions.

PSP201

SAVE ENERGY Don't Waste It



TURN OFF LIGHT FAN AC

PSP099



PSP177



PSP098



PSP100



PSP180



PSP199



PSP196



PSP200



PSP220



PSP547



PSP532






PSP540




PSP554

ENVIRONMENT POSTERS




PSP001




PSP001



PSP001



PSP001



PSP001



PSP001

ENVIRONMENT POSTERS



PSP309



PSP166



PSP327



PSP328



PSP542



PSP553




PSP581



PSP582




PSP585



PSP173





PSP043




PSP586

FALL PROTECTION POSTERS




PSP486




PSP431



PSP022



PSP442



PSP400




PSP179



PSP060

LADDER SAFETY




- Ensure The Ladder Has No Loose, Damaged or missing parts
- Ensure the ladder is properly erected and secure
- Ensure the ladder projects at least 1 metre above the landing place
- Ensure the ladder is set at the correct angle of 75 degrees and is on firm ground
- One Ladder, one person
- Keep 3 Limbs on The Ladder at all times. 2 Feet and 1 hand or 2 hands and 1 foot
- Always carry tools in toolbelt holster or pouch and not in hands

PSP021

LIFE SAVINGS RULES

जीवन रक्षक नियम शुभचन रक्षक नियम

 <p>Work with valid permit when required</p> <p>कार्य करने के लिए अधिकृत वक्रे पत्रित है।</p> <p>आ काम पर चलते समय सतत परीक्षा करें।</p>	 <p>Follow safety standards while climbing and avoid belts and D-ring handles. Do not use steel chains. Do not exceed rated loads.</p> <p>सुरक्षा मानक के अनुसार काम करें। तालीय वक्रे वक्रे के साथ काम न करें। तालीय वक्रे के साथ काम न करें। तालीय वक्रे के साथ काम न करें।</p>	 <p>Carry all cut - cuts and open feet are properly covered.</p> <p>सुखे घड़ने को सुरक्षित तरीके से ढांक लीकिए।</p> <p>सुखे घड़ने को सुरक्षित तरीके से ढांक लीकिए।</p>	 <p>Verify the isolation before the work begins and use specified PPE</p> <p>काम शुरू करने से पहले अलगकरण की जांच की जाई जाई सुनिश्चित करें।</p> <p>काम शुरू करने से पहले अलगकरण की जांच की जाई सुनिश्चित करें।</p>	 <p>Protect yourself against fall while working at height.</p> <p>आ काम पर चलते समय सतत परीक्षा करें।</p> <p>आ काम पर चलते समय सतत परीक्षा करें।</p>
 <p>Do not smoke at workplace</p> <p>कार्य स्थल पर सुखे घड़ने न करें।</p> <p>कार्य स्थल पर सुखे घड़ने न करें।</p>	 <p>No alcohol or drugs while working or driving</p> <p>काम करते वक्रे या सुखे घड़ने करते वक्रे सुखे घड़ने न करें।</p> <p>काम करते वक्रे या सुखे घड़ने करते वक्रे सुखे घड़ने न करें।</p>	 <p>Do not work under suspended load</p> <p>वक्रेवले घड़ने के नीचे काम न कीं।</p> <p>वक्रेवले घड़ने के नीचे काम न कीं।</p>	 <p>Do not sleep at work place</p> <p>कार्य स्थल पर सुखे घड़ने न करें।</p> <p>कार्य स्थल पर सुखे घड़ने न करें।</p>	 <p>Do not bypass any established safety practice / procedure</p> <p>सुरक्षा मानक अलग / वक्रेवले न बक्रेवले न करें।</p> <p>सुरक्षा मानक अलग / वक्रेवले न बक्रेवले न करें।</p>

PSP514

WHEN WORKING ON HEIGHT USE SAFETY BELT



PSP301

DO'S AND DON'TS SAFETY BELTS



DO'S


- Store the belt in closed polythene bags away from corrosive atmosphere, when not in use.
- leather belt should be brushed
- castor oil should be applied to leather belt to keep them supply
- Cotton and nylon belt should be cleaned and dried after every use
- Belt hardware should be checked regularly for any damage

DON'TS

- Mineral o lubricating oil should not be applied to leathe belts
- Do not use belts with any cuts or scratches

PSP363

OVERREACHING CAN STRAIN EVEN A CRANE




LIFT RIGHT...

- Keep load close to body
- Avoid excessive reaching
- Don't bend your back
- Get help when load is too heavy to handle alone

PSP397

क्रेन तथा डेरिक



सुरक्षा उपकरण


- हुक सेर का सुखे घड़ने
- लुक डेरिक (निकलन लुक) डेरिक
- लुक डेरिक (निकलन लुक) डेरिक
- लुक डेरिक (निकलन लुक) डेरिक

PSP398

Be Careful Tower Crane Is Working Ahead



PSP401



PSP399

FIRE SAFETY POSTERS




PSP285



PSP515




PSP432



PSP015



PSP336



PSP335



PSP158

FIRE SAFETY POSTERS

आग रोकने के उपाय

सावधानियाँ

कार्यालय से जाते समय एसी, पंखे, कम्प्यूटर्स, आदि विद्युत उपकरणों को बंद कर दें।

यदि अत्यंत आवश्यक हो तो ही केबिन को लोक करें और ड्रज्लीकेट चाबी अग्नि नियंत्रण कक्ष को दें।

कार्यालय परिसर में धूम्रपान न करें।

हमेशा साफ- सफाई बनाए रखें।

संकट के समय बाहर निकलने के रास्ते या सीढ़ियों को अवरुद्ध न करें।

आग लगने पर

ईमरुकाम नंबर 3052 & 3053 या 079-27583052 & 079-27583053 पर सूचित करें या निकटतम फायर अलार्म बॉक्स (Manual Call Point) के कॉच को तोड़ दें।

सहायता आने तक अपने फ्लोर पर रखे गए अग्निशामक यंत्र से आग बुझाने की कोशिश करें।

अपने फ्लोरमार्शल से मार्गदर्शन लें, फ्लोरमार्शल कहें तो तुरंत स्थान खाली कर दें।

अगर अपना स्थान छोड़ने के अनुदेश मिलें तो तत्काल अपनी मंजिल छोड़कर सीढ़ियों से नीचे आ जाए, लिफ्ट का प्रयोग न करें।

भवन के बाहर, पहले से निर्धारित एम्बेस्ली स्थान पर अपने फ्लोरमार्शल को रिपोर्ट करें।

भागदौड़ न करें, घबराए नहीं और निजी सामान लेने के लिए न रुके।

IN CASE OF FIRE / EMERGENCY DIAL
FIRE : 101, Central Fire Station Danapith over 079-22148466-68,
Ambulance : 108, POLICE : 100

PSP425

Extinguisher	Colour	Type	Type of Fire				
			Solids (paper)	Flammable Liquids	Electrical Equipment	Cooking oils & Fats	Flammable Gas
	Water	Water	✓	●	●	●	●
	Foam	Foam	✓	✓	●	✓	●
	Dry Powder	Dry Powder	✓	✓	✓	●	✓
	Carbon Dioxide (Co2)	Carbon Dioxide (Co2)	●	✓	✓	✓	●
	Blanket	Blanket	✓	✓	✓	✓	✓

PSP587

Fire Extinguisher Chart

Extinguisher	Color	Type	Type of Fire				
			Solids (Wood, Paper, Cloth, etc.)	Flammable Liquids	Flammable Gases	Electrical Equipment	Cooking oils & Fats
	ABC TYPE	ABC TYPE	✓ Yes	✓ Yes	✓ Yes	✓ Yes	✗ No
	Foam 'AB Type'	Foam 'AB Type'	✓ Yes	✓ Yes	✗ No	✗ No	✓ Yes
	Dry Chemical Powder (DCP) 'BC Type'	Dry Chemical Powder (DCP) 'BC Type'	✗ No	✓ Yes	✓ Yes	✓ Yes	✗ No
	Carbon Dioxide (CO2) 'BC Type'	Carbon Dioxide (CO2) 'BC Type'	✗ No	✓ Yes	✓ Yes	✓ Yes	✓ Yes

PSP088

Fire action

If you discover or suspect a fire

- 1** Sound the alarm by operating the nearest fire alarm call point
- 2** Dial _____ to call the fire brigade
- 3** If possible tackle the fire with the appropriate fire fighting equipment. Do not endanger yourself or others in doing so
- 4** Leave the building by the nearest available exit
- 5** Close all doors and windows to contain the smoke and fire
- 6** Report to person in charge of Assembly point at: _____
- 7** Do not take risk. Do not stop to collect personal belongings. Do not use lifts. Do not re-enter the building for any reason unless authorised to do so

PSP094

DANGER

DO NOT ENTER. AUTHORISED PERSONNEL ONLY.

प्रवेश न करें। केवल अधिकृत कर्मचारी के लिए

PSP512

PASS सिस्टम ज़रूरी

पिन धेंचो
पाईप ने आगनी धार पर राभो
पाईप पकडीने हेन्डल ने दबावो
धार ने आग पर राभो

PSP468

Know The "PASS" System

PULL THE PIN.
AIM AT THE BASE OF THE FIRE.
SQUEEZE THE TRIGGER
SWEEP SIDE TO SIDE

PSP055

BE AWARE KNOW WHERE

FIRE ALARM

FIRE EXIT

PSP252

FIRE SAFETY POSTERS

FIRE FACTS YOU MUST KNOW

Type of Extinguisher	Class	Cause of Fire	Hazards Areas	Extinguishing Methods	Warning
Water CO2	A	Due to burning of organic solids e.g. Wood, Paper Cloths etc.	Offices, Shops, Theaters, Banks, Restaurant etc.	Penetrates & cools even deep seated 'A' Class Fires.	Do not use on live electrical equipments.
Mechanical Foam	B	Due to burning of inflammable liquids.	Petrol storage depots manufacturing units of paints, inflammable liquids.	Forms a thick foam blanket over the burning liquids, cut off oxygen supply.	Do not use on live electrical equipments.
Dry Chemical Powder (DCP)	B & C	Due to burning of inflammable liquids & gasses.	Storage of LPG, acetylene, Petrol, Industrial solvent & electrical equipment.	Chemically interferes with combustion chain.	Do not use in very confined spaces as cloud of power reduces visibility.
ABC Powder	A & B & C	Due to burning of organic solids, inflammable liquids & gasses.	Mixed hazard areas like open storages, generator rooms, heat treatment shop.	Chemically interferes with combustion chain.	Do not use in very confined spaces as cloud of power reduces visibility.
Carbon Dioxide (CO2)	B & C	Due to burning of inflammable liquids, gasses & electrical hazards.	Motor pump rooms laboratories, museums and process control areas.	Aims at the base of fire from close range. CO2 being heavier settles below air & cuts off oxygen supply.	CO2 can cause asphyxiation in a confined space. ventilate area after extinguishing fire.

PSP114

LIFE SAVINGS RULES

जीवन रक्षक नियम

सुखन रक्षक नियम

Work with mind (जानकी) और सावधानता
जानकी के साथ काम करें।
 सावधानता से काम करें।

Follow Safety Protocols
 सुरक्षा प्रोटोकॉल का पालन करें।
 सुरक्षा प्रोटोकॉल का पालन करें।

Ensure all cut - offs and open I/Os are properly covered.
 सभी कट-ऑफ और खुले I/O को सही ढंग से कवर करें।

Verify the isolation before the work begins and use appropriate PPE.
 काम शुरू करने से पहले अलग-अलग वेरिफाई करें और उचित सुरक्षा उपकरण का उपयोग करें।

Protect yourself against fall while working at height.
 उंचे स्थान पर काम करते समय सुरक्षा उपकरण का उपयोग करें।

Do not smoke at workplace.
 कार्यस्थल पर धूम्रपान न करें।

No alcohol or drugs while working or driving.
 काम करते समय या ड्राइव करते समय एल्कोहल या दवाइयों का उपयोग न करें।

Do not work under suspended load.
 लटकते वजन के नीचे काम न करें।

Do not sleep at work place.
 कार्यस्थल पर सोना न करें।

Do not bypass any established safety practice / procedure.
 स्थापित सुरक्षा प्रथाओं को न बypass करें।

PSP514

FIRE PROTECTION

Do's

1. Store Flammable liquids, gases, solvents, other chemicals in identified location with label.
2. Keep above chemicals in cool and dry place away from heat.
3. When hazardous chemicals are used / stored, ensure adequate ventilation.
4. Use fuses and circuit breakers of correct capacity.
5. Before welding operation, all traces of flammable material must be removed to a safe distance.
6. Welding / cutting work should be carried out under proper supervision.
7. Keep all machinery clean and lubricate it to avoid friction and overheating.

Don'ts

1. Don't smoke in prohibited area.
2. Don't place obstruction in means of escape.
3. Don't use damaged cords and avoid temporary connections.
4. Don't plug too many electrical appliances in one socket.



PSP090

FIRE CLASSIFICATION KNOW HOW TO HANDLE IT

आग का वर्ग आग की कक्षाएं	आग का प्रकार आग के प्रकार	चिह्न प्रतीक चिह्न प्रतीक	अग्निशामक अग्निशामक
A	काष्ठ, कागज, रस्से, कपड़े आदि लकड़ी, कागज और कपड़े के लिए		- Water - Foam Spray - ABC Dry Powder - Class F Wet Chemical
B	अपकमशील प्रवाही भाटे ज्वलनशील प्रवाही के लिए		- Foam Spray - ABC Dry Powder
C	विद्युत प्रणाली में अग्नि भाटे विद्युत नेटवर्क आग के लिए		- ABC Dry Powder
D	अपकमशील धातु भाटे ज्वलनशील धातु के लिए भाटे		- Class D Powder
E	विद्युत संचालन भाटे विद्युत उपकरण के लिए		- ABC Dry Powder - Carbon Dioxide

PSP420

How To Use Fire Extinguisher

Remember the **PASS** word
(Pull - Aim - Squeeze - Sweep)

P	A	S	S
Pull Pull The Pin	Aim Aim at the Base of Fire	Squeeze Squeeze the Operating Handle	Sweep Sweep From Side to Side
Break seal and test Extinguisher	Ensure you have a means of escape	To Operate Extinguisher and discharge the agent	Completely Extinguish the Fire

PSP513

What To Do if Your Clothes Catch Fire

1. STOP
Stop where you are



2. DROP
Drop To The Ground



3. ROLL
Cover your face with hands, and roll over and over until the fire is out



PSP268

क्या करें अगर आपके कपड़े आग पकड़ते हैं

१. रुकें
आप जहाँ हों वहीं रुकी



२. गिर जाओ
जमीन पर गिर जाओ



३. घुमीई
अपने चेहरे को हाथों से ढकें, और अपने शरीर को रोल करके आग बुझाने कि कोशिश कीजिए



PSP089

SAFETY FIRST...

सुनिश्चित कर लें आग बुझाने के उपकरण तक पहुंच सुलभ है...



... और आवश्यकता पड़ने पर वे प्रयोगशील हैं।



PSP093

FIRE ORDER IN CASE OF FIRE

- A) ALERT THE SECURITY AT SECURITY ROOM BY ACTUATING MANUAL CALL POINT LOCATED AT STRATEGIC LOCATION,**
- B) EVACUATE THE OCCUPANTS BY USING THE STAIR CASE ONLY AND ASSEMBLE AT GATHERING POINT, (DO NOT USE VRC)**
- C) BE CALM AND DO NOT GIVE ANY ROOM FOR PANIC, WALK, DO NOT RUN.**
- D) IF YOU ENCOUNTER SERIOUS DIFFICULTY IN EVACUATION, STAY IN YOUR PLACE AND TRY TO ATTRACT ATTENTION OF RESCUE TEAM**

ACTION BY SECURITY

UPON RECEIPT OF INFORMATION THROUGH FIRE ALARM OR FIRE DETECTOR OR SPRINKLERS OR BY ANY OTHER SAFETY MEANS,

- A) ALERT THE OCCUPANTS BY USING PUBLIC ADDRESS SYSTEM,**
- B) INFORM FIRE CONTROL THROUGH ANY ONE OF THE FOLLOWING PHONE No. : 101/27905931 (HOSAKOTE FIRE STATION)**
- C) GUIDE THE FIRE FORCE ON THEIR ARRIVAL TO THE SEAT OF FIRE**
- D) IN CASE OF CASUALTIES, CALL AMBULANCE BY DIALING NUMBER : 102**

PROSIGN-PS421

PSP421

FIRE BLANKET

Instruction for use

For a substance in flame	For a person in flame
<p>1 Pull tape down until blanket is released</p> 	<p>1 Pull tape down until blanket is released</p> 
<p>2 Open blanket fully and gently place over flames</p> 	<p>2 Open blanket fully and wrap around person to seal from air</p> 
<p>3 Turn off power supply. Leave blanket over fire</p> 	<p>3 Seek medical assistance</p> 

PSP337




In case of fire
Do not use lift



Use the stairs

PSP156

HOW TO OPERATE
FIRE EXTINGUISHER



PULL Pull the pin.
AIM Aim the nozzle or hose at the base of the fire from the recommended safe distance.
SQUEEZE Squeeze the operating lever to discharge the extinguishing agent.
SWEEP Starting at the recommended distance, sweep the nozzle or hose from side to side until the fire is out. Move forward or around the fire, as the fire conditions. Watch the area in case of re-ignition.

PSP448

SELECT THE SUITABLE TYPE OF FIRE EXTINGUISHER अग्निशामक यंत्र का सही उपयोग कीजिए		Your Logo				
TYPE OF FIRE EXTINGUISHER अग्निशामक यंत्र के प्रकार	WATER CO. पानी (कार्बन डायऑक्साइड)	MECHANICAL FOAM यांत्रिक झाग	DRY CHEMICAL POWDER सूखा रासायनिक पावड़ा	ABC DRY CHEMICAL POWDER ए.बी.सी. सूखा रासायनिक पावड़ा	CARBON DIOXIDE कार्बन डायऑक्साइड	CLEAN AGENT/FM-200 (Hexafluoropropane) क्लेन अजेंट / एफ-एम-200
CAPACITY & IS SPECIFICATION	9 Ltrs. - 15683 50 Ltrs. - 13385 150 Ltrs. - 13385	9 Ltrs. - 15683 50 Ltrs. - 13385 150 Ltrs. - 13385	4 Kg. - 15683 6 Kg. - 15683 9 Kg. - 15683 25/50/75 Kg. - 10658	1 Kg. - 15683 2 Kg. - 15683 4 Kg. - 15683 6 Kg. - 15683 9 Kg. - 15683	2 Kg. - 15683 3 Kg. - 15683 4.5 Kg. - 15683 6.5 Kg. - 2878 10 Kg. - 2878 22.5 Kg. - 2878	1 Kg. - 15683 2 Kg. - 15683 4 Kg. - 15683 6 Kg. - 15683 9 Kg. - 15683
METHOD OF OPERATION प्रयोग करने का तरीका	HOLD UPRIGHT REMOVE SAFETY CLIP PRESS LEVER DIRECT JET AT THE BASE OF FLAMES	HOLD UPRIGHT REMOVE SAFETY CLIP PRESS LEVER DIRECT JET AT THE BASE OF FLAMES	HOLD UPRIGHT REMOVE SAFETY CLIP PRESS LEVER DIRECT JET AT THE BASE OF FLAMES	HOLD UPRIGHT REMOVE SAFETY CLIP PRESS LEVER DIRECT JET AT THE BASE OF FLAMES	HOLD UPRIGHT REMOVE SAFETY CLIP PRESS LEVER DIRECT JET AT THE BASE OF FLAMES	HOLD UPRIGHT REMOVE SAFETY CLIP PRESS LEVER DIRECT JET AT THE BASE OF FLAMES
EXTINGUISHING AGENT PRINCIPLE OF EXTINGUISH	WATER COOLING	FOAM BLANKETING	DRY CHEMICAL POWDER BLANKETING	ABC POWDER BLANKETING	CARBON DIOXIDE GAS BLANKETING	Hexafluoropropane Fm 200 Gas Blanketing
Class of Fire	A	A B	BC &	A B C &	B C &	A B C &
Paper, Wood, Clothes, Plastics etc. (कागज, लकड़ी, कपड़ा, प्लास्टिक, आदि) का आग के लिए उपयुक्त।	✓ SUITABLE सही	✓ SUITABLE सही	✗ UNSUITABLE गलत	✓ SUITABLE सही	✗ UNSUITABLE गलत	✓ SUITABLE सही
Petrol, Oil, Paints, Thinner, Spirits etc. (पेट्रोल, तेल, पेंट, थिंनर, स्पिरिट्स आदि) का आग के लिए उपयुक्त।	✗ UNSUITABLE गलत	✓ SUITABLE सही	✓ SUITABLE सही	✓ SUITABLE सही	✓ SUITABLE सही	✓ SUITABLE सही
Flammable Gases & Electrical Fire etc. (ज्वलनशील गैसों और बिजली आदि) का आग के लिए उपयुक्त।	✗ UNSUITABLE गलत	✗ UNSUITABLE गलत	✓ SUITABLE सही	✓ SUITABLE सही	✓ SUITABLE सही	✓ SUITABLE सही
Magnesium, Sodium, Potassium etc. (ज्वलनशील धातु, सोडियम, पोटैशियम आदि) का आग के लिए उपयुक्त।	✗ UNSUITABLE गलत	✗ UNSUITABLE गलत	✓ SUITABLE सही	✗ UNSUITABLE गलत	✗ UNSUITABLE गलत	✗ UNSUITABLE गलत
Electricity & Electrical Appliances (बिजली के उपकरणों) के लिए उपयुक्त।	✗ UNSUITABLE गलत	✗ UNSUITABLE गलत	✓ SUITABLE सही	✓ SUITABLE सही	✓ SUITABLE सही	✓ SUITABLE सही

PROSIGN-PS555

PSP555

"ABC" FIRE EXTINGUISHER
"एबीसी" अग्निशामक यंत्र

1. CHECK IF THE PRESSURE GAUGE INDICATES IN THE GREEN ZONE. IF IT IS IN THE RED ZONE, THE EXTINGUISHER MUST NOT BE USED. (आपदा से पहले चेक करें कि प्रेशर गेज में हरे क्षेत्र में है। यदि लाल क्षेत्र में है, तो एग्जिंग्विशर का उपयोग न करें।)

2. PULL THE SAFETY CLIP (सुरक्षा क्लिप को खोलें।)

3. HOLD THE PIPE AND PUSH THE LEVER (पाइप को पकड़ें और लीवर को धकेलें।)

4. BLOW THE POWDER TO THE BASE OF FIRE (पावड़ा आग के आधार पर झरोके दें।)

PSP567

CARBON DIOXIDE FIRE EXTINGUISHER
कार्बनडायऑक्साइड (CO₂) अग्निशामक यंत्र

1. CHECK IF THE PRESSURE GAUGE INDICATES IN THE GREEN ZONE. IF IT IS IN THE RED ZONE, THE EXTINGUISHER MUST NOT BE USED. (आपदा से पहले चेक करें कि प्रेशर गेज में हरे क्षेत्र में है। यदि लाल क्षेत्र में है, तो एग्जिंग्विशर का उपयोग न करें।)

2. PULL THE SAFETY CLIP (सुरक्षा क्लिप को खोलें।)

3. HOLD THE PIPE AND ROTATE THE VALVE (पाइप को पकड़ें और वाल्व को घुमाएं।)

4. BLOW THE CO₂ GAS TO THE BASE OF FIRE (आग के आधार पर को₂ गैस झरोके दें।)

PSP568

FOAM FIRE EXTINGUISHER
फोम अग्निशामक यंत्र

1. FIRE EXTINGUISHER (अग्निशामक यंत्र)

2. PULL OUT SAFETY CAP AND PUSH DOWN THE HANDLE (सुरक्षा कप को खोलें और हैंडल को धकेलें।)

3. RELEASE THE HOSE AND POINT THE NOZZLE AT THE BASE OF FIRE (होस को छोड़ें और नोजल को आग के आधार पर झरोके दें।)

4. TURN THE EXTINGUISHER UPSIDE DOWN AND HOLD THE BOTTOM HANDLE (एग्जिंग्विशर को उल्टा कर दें और निचले हैंडल को पकड़ें।)

PSP569

"PASS" FIRE EXTINGUISHER

1. Pull The Pin

2. Aim The Hose

3. Squeeze The Lever

4. Sweep The Hose

PSP580



First Aid For Bleeds

- Barrier**
Put gloves on if available (Fig.1)
- Locate & Examine**
look for any foreign object (fig.2)
- External Direct Pressure**
Keep pressure on the wound (fig.3)
- Elevation**
Elevate wound above the level of the heart (fig.4)
- Dressing**
Apply one dressing at a time up to maximum of two if blood should through both dressings remove them and apply a new dressing (fig.4)

PSP012

First Aid Chemical Burns For Eye

- Rinse the chemical off the skin with cool gently running water for at least 20 minutes.
- Remove any contaminated clothing and jewelry.
- Gently wrap the burned area with dry sterile gauze or clean cloth if available.
- Take the casualty to a doctor.

Do not apply ointment or other topical treatment.

For Eye:
Tilt the head so that the injured eye is downward, thus preventing the chemical to run in to the unaffected part.
Keep the eye open gently with your fingers and close the eye with cold running water for 15-20 minutes.
Apply a loose sterile eye dressing or a clean piece of cloth over the injured eye.
Take the casualty to a doctor.

PSP222

FRACTURE First Aid

- Try to maintain the patient still and composed. Prevent unnecessary movement. Do not move the victim unless he is in danger.
- Examine the person closely for the presence of other injuries and call for medical help. If medical help is quickly available, however the patient to them for further treatment.
- If break in the skin surface, it can be closed to remove any visible dirt or other potential contamination. However, vigorous flushing or scrubbing of the wound should be avoided.
- The broken bones can be immobilized with splint or sling. Make of newspaper or strips of wood can be used if it is impossible to immobilize the area both above and below the injured bone.
- Ice packs can be applied to reduce pain and swelling. Place gently over the site of the fracture (Do not be placed directly over an open wound).

Do not move a victim whose back, neck, or head are injured unless absolutely necessary. If you must, keep the back, head, and neck in a single straight line and support them to prevent them from twisting, using a cervical collar.

PSP223

BE PREPARED

Keep First Aid Kit Stocked and Handy

PSP001

Handle All Chemicals Safety

Lab Coat, Goggles And Gloves Help To Protect You In The Event Of a Spill

PSP228

First Aid Station

PSP592

FIRST AID Chemical Burns

- Ensure that the area is safe and that you are protected from the chemical. This may involve wearing personal protective equipment (PPE).
- Locate the chemical data sheet. This will provide details of PPE requirements and specific first aid procedures.
- The burn area should be flooded with water for 20 minutes to ensure that there is no continuation from the chemical to other areas of the body.
- All chemical burns require professional medical advice following first aid treatment.

PSP016

FIRST AID POSTERS

LIFE SAVINGS RULES

जीवन रक्षक नियम

Work with solid objects when required

कठम वस्तु के लिए उपयुक्त उपकरण का उपयोग करें।

Do not smoke at workplace

कार्यस्थल पर धूम्रपान न करें।

જીવન રક્ષક નિયમ

Follow Safety Directives while doing any work and follow all safety signs. Do not use your phone if it is not essential (work related)

किसी भी कार्य के दौरान सुरक्षा निर्देशों का पालन करें और सुरक्षा चिह्नों का ध्यान दें।

Do not sleep at work place

कार्यस्थल पर सोना न करें।

Do not smoke at workplace

No alcohol or drugs while working or driving

Do not work under suspended load

Do not sleep at work place

Do not bypass any established safety practice / procedure

PSP514

ખિદીંગ એપરેટ્સ વાપરવાની રીત

- સેલ્ફ ખિદીંગ એપરેટ્સના સિલીન્ડરનો વાલ્વ નીચે રહે તે રીતે શરીરના પાછળના (કેડના) ભાગમાં રહે તે રીતે પહેરો.
- સિલીન્ડર સાથે રહેલ બેલ્ટને છાતીની ફરતે મજબૂત બાંધો.
- સિલીન્ડરનો વાલ્વ ખોલો અને પ્રેશર ગેજનું પ્રેશર જોઈ લો.
- ફેસ્ક માર્સ્ક પહેરો અને ફેસ્ક માર્સ્કની પટ્ટીને એવી રીતે બાંધો કે જેથી ફેસ્ક માર્સ્ક (ચહેરા ઉપર) સારી રીતે ઢાઈટ થાય.
- ત્યાર બાદ વાલ્વ ખોલીને શ્વાસ લેવો. શ્વાસ (ઓકિસજન) સારી રીતે લઈ શકાય છે કે નહીં તેની ખાતરી કરવી.. ખે સારી રીતે શ્વાસ લઈ શકાય ત્યાર પછી જ વર્કીંગ ઝોનમાં પ્રવેશ કરવો.

સેલ્ફ ખિદીંગના ઉપયોગ દરમિયાન સાવધાની રાખવાની ખાસ સૂચનાઓ

- કોઈ પણ કારકર શ્વાસમાં (ઓકિસજન) લેવાની તકલીફ પડે તો વર્કીંગ ઝોનની બહાર આવી જવું.
- પ્રેશર ગેજમાં કાંટો ૨૦ અથવા ૨૦થી નીચે બતાવે તો તરત જ વર્કીંગ ઝોનની બહાર આવી જવું.

PSP109

EMERGENCY NUMBERS

Emergency Control Centre Number :

INTERNAL NUMBERS			
Emergency Contact	Address	Extension	Mobile

INTERNAL NUMBERS		
	Location	Contact Number
	Help Line-Fire Station (Control Centre)	
	Fire Tender	
	Ambulance	
	Ambulance	
	Ambulance	
	Nearest Hospital	
	Hospital	
	Hospital	
	Police Station	
	GEB	
District Collector	District Collector	
DISH	Office Of The Director Industrial Safety & Health	

PSP118

STROKE

There's treatment if you act FAST

F **Face**
Face Look Uneven
Ask the person to smile. Does one side of the face drop?

A **Arm**
One Arm Hanging Down
Ask the person to raise both arms. Does one side drift downward?

S **Speech**
Slurred Speech
Ask the person to repeat a simple phrase. Is the speech slurred or strange?

T **Time**
If you observe any of the signs, Call Emergency Assistant Immediately!

Time is critical when a stroke occurs. Getting help fast could reduce disability and death from stroke.

PSP593

CPR FIRST AID EMERGENCY PROCEDURE

- 1. CALL**
Call 911 for help.
- 2. PUMP**
Position hands at the center of the chest. Push down hard and fast 30 times (100 times/min), compress 2 in (4-5 cm).
- 3. AIRWAY**
Tilt head back, lift the chin to open airway. Check breathing.
- 4. BLOW**
Give 2 breaths, continue 30 pump/ 2 breaths.
- 5. SECURITY POSITION**
Put the victim in the security position.

Early chest compression can immediately circulate oxygen that is still in the bloodstream. By changing the sequence, chest compressions are initiated sooner and the delay in ventilation should be minimal.

PSP594

Clean & Safe At Work

Checklist :

Wear Your Hairnet

Wear Your Coat

Wear Your Gloves

Wear Yur Goggle

Wear Your Mouth Mask

Wear Non-slip Shoes

Ready? Now you can start working

PSP339

કોરોના વાયરસ માં સાવચેતી ! कोरोना वायरस में सावधानी

જ્યારે હાંક ખાવે ત્યારે મોઢા બાજુનું સ્માઇલ રાખો

જાબ હાંક યા ચાંચો આપે તો સ્માઇલ મુઠેર કે આગે રહે

સેનેટાઇઝર, સાબુ અને પાણી થી હાથ સ્વચ્છ ને સાફ કરો અને બીમારી લોધ ત્યારે સંસાળ ઠીવી

સેનેટાઇઝર, સાબુન ઓર પાણી મે હાથ સ્વચ્છ કરે સાફ કરે. બીમાર હો તો સાવધાની રહે

કામ પર લાગતા પહેલા તમામ માન્ય મર્યાબી

કામ પર જાને મે પહેલે તમામ માન્ય મર્યાબી

કાળજી રાખો
સ્વાચ્છ રહો

માસ્ક પહેવો
માસ્ક પહેવો

હાથ ધોવો
હાથ ધોવો

વ્યવસ્થા મર્યાબી
વ્યવસ્થા મર્યાબી

રોકાવો ને મળી
રોકાવો ને મળી

PSP374

First Aid

Box is Here

PSP595

ASTHMA

First aid for an asthma attack
For known casualties follow personal action plan if available

Signs & Symptoms
"Very fast pulse to person"
Not an expert at all in asthma

Mild
Cough
More difficulty breathing
Unable to carry on normal activities

Moderate
Prolonged cough
Unable to carry on normal activities

Severe & Life Threatening
Gasping for breath
Wheezing
Blue lips
Speech only a few words or no breath


1. POSITION THE CASUALTY
Sit the person upright. Reassure & stay with them.
2. 4 PUFFS OF A RELIEVER
Give 4 puffs of a reliever inhaler. Use a spacer if available. Breathe 2, 3, 4, 4 breaths. Repeat 4 times.
3. WAIT 4 MINUTES
Assess the casualty.

ASTHMA PERSISTS → STILL NO RELIEF → ASTHMA WORSENS

CALL TRIPLE ZERO (000) say "Asthma Emergency"

URGENTLY PROVIDE ASTHMA TREATMENT

Please call help services an ambulance is required



PROSIGN-PSP258

PSP258

BURNS

Signs & Symptoms

Around the Burnt Area:

- pain
- blistering
- red to black marks

Significant burns:

- flash into face
- cover a large body area
- severe on face, hands, feet, genitals
- all the way around a limb or the chest
- inhalation - evidence, singed nasal hairs, eyebrows, blackness around the nose and mouth, coughing & hoarse voice, breathing difficulty

- Step 1**
CONSIDER ALL DANGERS
Flash to cool
• turn off all appliances
• move to safe distance
• move to water supply
• put on gloves
- Step 2**
TREAT THE BURN
• stop the burning process
• cool the burn
- Step 3**
CONTINUE TREATMENT
• treat other injuries
• comfort until medical assistance is available

Call Triple Zero (000)

In case of fire ENSURE SAFETY

- if someone is on fire - stop, drop, roll, cover
- do not enter a burning or toxic atmosphere
- inhalation - evidence, singed nasal hairs, eyebrows, blackness around the nose and mouth, coughing & hoarse voice, breathing difficulty
- raise the alarm
- call for help
- evacuate to safe area
- do not light a fire unless trained and safe to do so

PROSIGN

PSP261

INFECTION CONTROL

Transmission
Not self-limiting

Double - respiratory coupling

Airborne - vehicle systems or contamination

Contact - direct, indirect, contact with contaminated surfaces

Contaminated objects - in contact with surface, nose, mouth

Standard Pre

HAZARD - EXPOSURE → HOW TO MINIMIZE THE HAZARDS → RISK - CONTAMINATION

In General

Prevention - hand hygiene before/after food prep, after toilet use, after coughing/sneezing

Prevention - avoid contact with cough/sneeze

Prevention - avoid contact with contaminated surfaces

First Aid

Wash your hands for 20 seconds with soap and water

Use a clean personal protective equipment (PPE) if available

Wipe equipment clean and disinfect the area

Wash your hands thoroughly with soap and water

1. WASH HANDS

2. BE SAFE

3. DISPOSAL AND CLEAN UP

4. WASH HANDS

Types of Infection and Disease

New viruses

- Influenza
- Ebola
- Mumps
- SARS-CoV-2
- Zika

Respiratory viruses

- Measles
- Rubella
- Mumps
- Pertussis
- Tetanus

PROSIGN

PSP259

CHAIN OF SURVIVAL

LINK 1



Early Access to the Ambulance

Purpose - to get the casualty to the ambulance as quickly as possible

LINK 2



Early CPR

Purpose - to maintain oxygen circulation to the brain

LINK 3



Early Defibrillation

Purpose - to restart the heart

LINK 4



Emergency Services

Purpose - to keep the casualty alive until they reach the hospital

Signs & Symptoms
Chest pain, collapsed and not moving, unresponsive and not breathing normally or at all, or gasping with no response.

Hazards
NO CHEMICALS EXPOSURE TO THE BURN. Quick timing is vital.

Risks
BURN DANGERS. Death to receive the chance of survival. Before every link in the chain of survival.

PROSIGN

PSP260

CHILDHOOD ILLNESSES

Ensure the safety of everyone

Signs and symptoms vary, some or all may be present, seek urgent medical assistance.

Meningococcal

Signs & Symptoms

- fever
- rash
- irritability
- vomiting
- neck stiffness
- swollen lymph nodes
- swollen joints

Meningitis

Signs & Symptoms

- fever
- irritability
- vomiting
- neck stiffness
- swollen lymph nodes
- swollen joints

Epilepsy

Signs & Symptoms

- convulsions
- loss of consciousness
- staring
- drooping eyelids
- loss of awareness
- loss of control

Croup

Signs & Symptoms

- hoarse voice
- barking cough
- difficulty breathing

Whooping Cough

Signs & Symptoms

- severe coughing fits
- "whooping" sound
- vomiting after coughing fits
- blue lips

Mumps

Signs & Symptoms

- fever
- irritability
- swollen lymph nodes
- swollen joints

Tonsillitis

Signs & Symptoms

- sore throat
- difficulty swallowing
- swollen lymph nodes
- swollen joints

Ear Infection

Signs & Symptoms

- pain
- irritability
- fever
- loss of hearing
- loss of appetite

Measles

Signs & Symptoms

- fever
- irritability
- swollen lymph nodes
- swollen joints

Chicken Pox

Signs & Symptoms

- fever
- irritability
- swollen lymph nodes
- swollen joints

Worms

Signs & Symptoms

- irritability
- swollen lymph nodes
- swollen joints


PROSIGN-PSP259

PSP256


FOOD SAFETY POSTERS



PSP596



PSP502



PSP342



PSP450




PSP153



PSP006



PSP520



PSP597




PSP018




PSP127



PSP381



PSP123




PSP030



PSP054



PSP028



PSP206



PSP383



PSP315



PSP165



PSP314



PSP204



PSP264



PSP316



PSP317

કાઈઝેન

પહેલાં



પછી











હંમેશા સુધારાઓ વિશે વિચારો

PSP191


કાચજન કે લિફ દસ સુઝાવ

1. પરંપરાગત વિચારોં કો ત્વાગેં
2. સોચેં ! યે કેસે કરના હૈ, ન કી યહ ક્યોં નહીં કિયા જા સકતા ?
3. બહાને ન બનાએં મૌજુદા તરીકોં પર સવાલ ઉઠાના શુરુ કરેં
4. સિધ્દિ કી તલાશ ન કરેં કાર્ય તુરંત કર લેં, ભલે હી 50% લક્ષ્ય પર પહુંચે
5. અગર કુછ ગલત હો જાપ, તો ઉસી વક્ત સુધાર લેં
6. કાચજન કે લિફ પૈસા ઁર્ચ ન કરેં બલ્કિ અપની બુદ્ધિ કા ઈસ્તેમાલ કરેં
7. જબ કઠિનાઈયોં કા સામના હો તો બુદ્ધિમતા ઉઠર આતી હૈ
8. પાંચ બાર "ક્યોં ?" પૂછે તથા મૂલ્ય કારણોં કો ઁજેં
9. ઁક વ્યક્તિ કે જ્ઞાન કી બજાએ દસ વ્યક્તિયોં કી બુદ્ધિમતા ઢુંબે
10. કાચજન કે વિચાર અન્નત હૈ

PSP208

safety quality
productivity
delivery costs
customer satisfaction

KAIZEN



PSP240

KAIZEN

BEFORE



AFTER











Always think IMPROVEMENTS

PSP248

LIFTING & FORKLIFT POSTERS



ઉંચાઈ ઉપર કામ કરતાં સમયે તમારી જાતને પડતા બચાવો.

હું તો ઉંચાઈ પર કામ કરવા તૈયાર છું. તમારી શું તૈયારી છે?

ઉંચાઈ પર કામ કરતી વખતે

સેફ્ટી બેલ્ટ પહેરવો.

YOUR LOGO COMPANY NAME

ઉંચાઈ પર કામ કરતે સમયે

સુરક્ષા બેલ્ટ પહનીયે

The **ABC's** of Fall Protection

A Anchorage
Anchorage Connector

B Body Wear

C Connecting Device

PSP485

ઉંચાઈ ઉપર કામ કરતાં સમયે તમારી જાતને પડતા બચાવો.

હું તો ઉંચાઈ પર કામ કરવા તૈયાર છું. તમારી શું તૈયારી છે?

PSP122

SAFE LIFTING OPERATIONS

THE LIFTING TRIANGLE

PERMANENT COMMUNICATION

CRANE OPERATOR

SUITABLE LIFTING EQUIPMENT

BANKSMAN

SLINGER

Complete scans in the lift up area
Complete scans in the lift down area
ALL LIFTING RULES ARE RESPECTED

RESPECT the unexpected! THINK through your risks

PSP528

Be Careful Tower Crane Is Working Ahead

PSP401

SAFE LIFTING OPERATION

OBSERVE SAFE LIFTING PRACTICES AT ALL TIMES

MAKE SURE OF THE OPERATION

A SAFE OPERATOR

- Step 1: Examine the load
- Step 2: Prepare lifting area with safe procedure
- Step 3: Secure lifting mechanism and attachments in a good working condition
- Step 4: Ensure that a qualified lifting team is assigned
- Step 5: Apply lift lift sequence in a correct manner
- Step 6: Monitor lift continuously until done

PSP400

Carry it LOW

Drive it SLOW

PSP032

OVERHEAD CRANE SAFETY

ઓવરહેડ ક્રેન સુરક્ષા

જાગ્યા પછી ક્રેનને ચાલુ કરવું નહીં

જો કોઈ વસ્તુ ધક્કા મારે તો ક્રેનને ચાલુ કરવું નહીં

જો કોઈ વસ્તુ ધક્કા મારે તો ક્રેનને ચાલુ કરવું નહીં

જો કોઈ વસ્તુ ધક્કા મારે તો ક્રેનને ચાલુ કરવું નહીં


જો કોઈ વસ્તુ ધક્કા મારે તો ક્રેનને ચાલુ કરવું નહીં

જો કોઈ વસ્તુ ધક્કા મારે તો ક્રેનને ચાલુ કરવું નહીં

PSP179




PSP176



PSP301



PSP197




PSP124




PSP382




PSP303



PSP431



PSP399



BE SURE YOU UNDERSTAND LOCKOUT/ TAGOUT PROCEDURES. IT COULD SAVE YOUR LIFE

PSP308


Lock Out For Safety!

When working on machinery, take the time to follow all lockout and tagout procedures.



PSP305

WHEN IN DOUBT LOCK IT OUT



PSP306

LOCK-OUT TAG-OUT FOR EVERYONE'S PROTECTION

SHORTCUTS CAUSE ACCIDENTS



PSP598

LOCK OUT FOR SAFETY

Shortcuts Cause Accidents



PSP599

ONLY YOU CAN PREVENT INJURY

When equipment needs repair, make sure no one can turn it on. Lock and Tag it out.









PSP304

LOCKOUT/TAGOUT FOR SAFETY

Lockout/tagout procedures are designed to isolate or shut off machine and equipment from their power sources before workers perform any servicing or maintenance work.


Lockout/Tagout Procedures:

 <p>Identify the types of energy sources used, potential hazard and all control devices.</p>	 <p>Notify all affected employees.</p>	 <p>Turn OFF all operating controls.</p>
 <p>Isolate all energy sources by blocking, bleeding and venting stored energy as found in springs, hydraulic systems, and pneumatic systems.</p>	 <p>Lockout all switches and energy controls in the "OFF" or "STOP" position.</p>	<p>TEST</p> <p>To ensure the machines will not operate, test the operating controls. Put all controls in "ON" position. Make sure no body can get hurt before testing.</p>
 <p>Return all operating controls to the "OFF" position after the test.</p>	 <p>Perform repair task.</p>	 <p>Remove lockout device only after the equipment is fully assembled and all affected employees have been notified. Each lockout device must be removed by the person who put it on.</p>

PSP239

DON'T FORGET TO LOCK THINGS UP!

A Lock & Key Keeps You Accident Free



PSP600

MATERIAL HANDLING POSTERS



Hand Pallet Truck Safety

Falling Hazards From Loads

Safety tips for storing materials

- Keep stored materials on stable ground
- Stack materials onto stable supporting structures
- Store materials against partitions that can take pressure
- Do not exceed load limits of floor and shelves
- Do not store loose materials or liquids in raised areas

PSP038

Forklift Safety

Working With People

PSP040

TOP TIPS FOR MANUAL HANDLING

- CONDUCT A MANUAL HANDLING RISK ASSESSMENT
- ENSURE EMPLOYEES HAVE THE CORRECT MANUAL HANDLING TRAINING
- USE MECHANICAL AIDS WHEREVER POSSIBLE
- PLAN THE ROUTE YOU WANT TO TAKE
- WORK FROM A STABLE BASE
- HUG THE LOAD
- BEND YOUR KNEES
- AVOID TWISTING OR LEANING
- KEEP YOUR HEAD UPI
- KNOW YOUR LIMITS
- PUSH A LOAD RATHER THAN PULL IT

RESPECT the unexpected: THINK through your risks

PSP526

WHEN YOUR LOAD IS STACKED TOO HIGH

SAFETY IS OFF BALANCE AND OUT OF REACH

PSP084

Attention Enhances Prevention!

अरे भाई रोको... मेरा हाथ कैब गया है।

किसीभी मटेरियल के मुवमेंट से पहले यह जाँच ले की कोईभी कर्मचारी शारीरिक रूपसे जुडातो नहीं है।

PSP001

USING THE RIGHT EQUIPMENT IS ALWAYS THE SAFEST MOVE

PSP023

SAFETY FIRST...

बोझ उठाने से पहले उसके वजन अनुसार

लिफ्टिंग टेक की क्षमता को सुनिश्चित करें

PSP041

HAZARDOUS MATERIALS SAFETY GUIDE

CLASS	STORAGE	HAZARD	PPES
Flammable	Segregate Storage	Ignite Easily and Burn Rapidly	
Corrosive	Store Away From Flammable, Reactives and Health Hazards	Causes Tissue Damage on Contact	
Reactive	Store Away From Corrosives, Health Hazards and Flammable Hazards	Reacts Violently with Air, Water and Other Substances	
Health Hazard	Secure Storage in Well Ventilated Stockroom	Toxic if Inhaled, Ingested or Absorbed Through The Skin	
Non Hazardous	Secure Storage in Well Ventilated Stockroom	Presents No More Than a Moderate Hazard	Supervisor's Discretion
Particularly Hazardous Substances	Carcinogens, Highly Toxic Chemical, and Reproductive Toxins Require Special Precautions. <ul style="list-style-type: none"> Develop Standard Operating Procedures (SOPs) Establish a Designated Work Area. Use PPEs and Fume Hoods to Control Exposure. Establish Decontamination and Emergency Response Procedures. 		

PSP231

Warehouse & Storage Safety

HEALTH & SAFETY (WAREHOUSE) MANAGEMENT

The main purpose of this poster is to provide information on the health and safety of workers in the warehouse. It covers the following areas:

- Health and Safety (Warehouse) Management
- Causes of Injury
- Prevention of Injury
- First Aid
- Reporting an Injury
- Investigation of an Injury
- Control of Substances Hazardous to Health (COSHH)
- Manual Handling
- Working Safely with Lifting Equipment
- Working Safely with Forklift Trucks
- Working Safely with Pallet Trucks
- Working Safely with Staircases
- Working Safely with Ladders
- Working Safely with Power Tools
- Working Safely with Heavy Loads
- Working Safely with High Places
- Working Safely with Moving Machinery
- Working Safely with Vehicles
- Working Safely with Fire
- Working Safely with Electricity
- Working Safely with Noise
- Working Safely with Vibration
- Working Safely with Air Quality
- Working Safely with Temperature and Humidity
- Working Safely with Light
- Working Safely with Sound
- Working Safely with Vibration
- Working Safely with Air Quality
- Working Safely with Temperature and Humidity
- Working Safely with Light
- Working Safely with Sound

WAREHOUSE DESIGN & LAYOUT

The design and layout of a warehouse is crucial for safety. Key considerations include:

- Clearance of Aisles
- Prohibition of Obstructions
- Prohibition of Staircases
- Prohibition of Ladders
- Prohibition of Power Tools
- Prohibition of Heavy Loads
- Prohibition of High Places
- Prohibition of Moving Machinery
- Prohibition of Vehicles
- Prohibition of Fire
- Prohibition of Electricity
- Prohibition of Noise
- Prohibition of Vibration
- Prohibition of Air Quality
- Prohibition of Temperature and Humidity
- Prohibition of Light
- Prohibition of Sound

PSP408

सेफ लिफ्टिंग

अपने दिमाग का इस्तेमाल करके अपनी पीठ बचायें

अपनी कमर के बदले अपने घूटनों को मोड़ें

अपने पैरों की मदद से बजन उठायें

क्रिमी की मदद से भारी या अनियमित बजन उठायें

सही साधनों का उपयोग करें

PSP111

मटिरीयल सेफ्टी डेटा शीट - सल्फ्युरिक अम्ल

क्रम	अपने नाम से बताएं	पहचानें अपनी चीजें	संरचनात्मक सूचनाएं (आवृत्तियों सहित)	प्राथमिक सुरक्षात्मक उपाय	हazard symbols
1	मटिरीयल का नाम (अपना नाम)	सल्फ्युरिक अम्ल (अपना नाम)	संरचनात्मक सूचनाएं (आवृत्तियों सहित)	प्राथमिक सुरक्षात्मक उपाय	
2	प्राथमिक सुरक्षात्मक उपाय	प्राथमिक सुरक्षात्मक उपाय	संरचनात्मक सूचनाएं (आवृत्तियों सहित)	प्राथमिक सुरक्षात्मक उपाय	
3	मटिरीयल का नाम (अपना नाम)	सल्फ्युरिक अम्ल (अपना नाम)	संरचनात्मक सूचनाएं (आवृत्तियों सहित)	प्राथमिक सुरक्षात्मक उपाय	
4	मटिरीयल का नाम (अपना नाम)	सल्फ्युरिक अम्ल (अपना नाम)	संरचनात्मक सूचनाएं (आवृत्तियों सहित)	प्राथमिक सुरक्षात्मक उपाय	

PSP322

Hand Pallet Truck Safety

Max. Payload: 1500 kg only

Place loads so level and load is even

Forks should be level and load is even

The load should be evenly distributed

Load to be kept on back of truck

Position the load by eye. The height of the load should be safe

Always use center of the truck's load

Always use center of the truck's load

PSP178

2S क्रमों सेट करो SET IN ORDER

दैनिक आधार पर उपयोग किए गए आइटम व्यवस्थित करें ताकि उन्हें आसानी से पहचाना जा सके और जल्दी से संग्रहीत किया जा सके

दरक सामग्री माटे स्थानगी ओणण करो अने ओणणामेव स्थण पर सामग्री राणो.

PSP522

2S क्रमों सेट करो SET IN ORDER

Identify place for each material & keep material at identified place.

दरक सामग्री माटे स्थणगी ओणण करो अने ओणणामेव स्थण पर सामग्री राणो.


PSP477

मटिरीयल हेन्डलिंग

- मटिरीयलने साठी पध्दतथी छकचुं.
- वज्जदार वस्तुने भे के तेथी वधु व्यक्तित द्वारा छकची.
- भारे मटिरीयलनु हेन्डलिंग योग्य साधनो वडे ज करचुं.
- योग्य सुरक्षा ना साधनो पहरेवा.
- मटिरीयल हेन्डलिंगनी योग्य ताळीम लेवी.

PSP110


NO SMOKING POSTERS



PSP386



PSP091




PSP385



PSP131



PSP602




PSP009



PSP341

NO SMOKING POSTERS



PSP384

LIFE SAVINGS RULES

जीवन रक्षक नियम **शुभम रक्षक नियम**

<p>Focus</p> <p>Work with valid permit when required</p> <p>समान कार्य के लिए अधिकृत पत्रक ले लें।</p> <p>एक काम में अलग-अलग कार्य करने से पहले सुरक्षा अधिकारी से परामर्श करें।</p>	<p>Follow Safety Warnings</p> <p>While working use seat belts and safety harness. Do not use your phone & do not read news feeds.</p> <p>सुरक्षा चेतावनी का पालन करें। काम करते समय सीट बेल्ट और सुरक्षा हार्नेस का उपयोग करें।</p> <p>कार्य के दौरान मोबाइल फोन का उपयोग न करें। समाचार पढ़ें।</p>	<p>Ensure all cut - ends and open field are properly covered.</p> <p>खुले बर्तन को सुरक्षित तरीके से ढकें।</p> <p>खुले क्षेत्र/मशीन/सामान्य उपकरण को ढकें।</p>	<p>Verify the isolation before the work begins and use specified PPE</p> <p>कार्य शुरू करने से पहले अल्ट्राइसोलेशन की जांच करें और उचित सुरक्षा उपकरण का उपयोग करें।</p> <p>सुरक्षा उपकरण पहनने से पहले सभी सुरक्षा प्रणाली अल्ट्राइसोलेशन की जांच करें।</p>	<p>Protect yourself against fall while working at height.</p> <p>ऊंचे स्थान पर काम करते समय सुरक्षा उपकरण का उपयोग करें।</p> <p>ऊंचे स्थान पर काम करते समय सुरक्षा उपकरण का उपयोग करें।</p>
<p>Do not smoke at workplace</p> <p>कार्य स्थल पर धूम्रपान न करें।</p> <p>कार्य स्थल पर धूम्रपान न करें।</p>	<p>No alcohol or drugs while working or drinking</p> <p>कार्य करते समय या तब तक काम न करें जब तक कि आप सुरक्षित नहीं हैं।</p> <p>कार्य करते समय या तब तक काम न करें जब तक कि आप सुरक्षित नहीं हैं।</p>	<p>Do not work under suspended load</p> <p>खुले स्थान के अंतर्गत काम न करें।</p> <p>खुले स्थान के अंतर्गत काम न करें।</p>	<p>Do not sleep at work place</p> <p>कार्य स्थल पर सोना न करें।</p> <p>कार्य स्थल पर सोना न करें।</p>	<p>Do not bypass any established safety procedure / procedure</p> <p>सुरक्षा प्रणाली अल्ट्राइसोलेशन / सुरक्षा प्रणाली अल्ट्राइसोलेशन का पालन करें।</p> <p>सुरक्षा प्रणाली अल्ट्राइसोलेशन / सुरक्षा प्रणाली अल्ट्राइसोलेशन का पालन करें।</p>


PSP514



PSP075



PSP601




PSP011




PSP396



PSP387




PSP388



PSP056



PSP057




PSP051




PSP050



PSP049



PSP052



PSP004




PSP019



PSP257



PSP312



PSP148



PSP527



PSP293



PSP295



PSP164



PSP454



PSP487



PSP017

SAFETY SLOGAN



PSP233



PSP065



PSP283



PSP404



PSP405



PSP344



PSP126



PSP027



PSP453

નિર્માણ ક્ષેત્ર
પોતાના વ્યક્તિગત સુરક્ષા સાધનોનો ઉપયોગ કરો.

નિર્માણ ક્ષેત્ર
સ્વયં કે વ્યક્તિગત સુરક્ષા ઉપકરણ કા ઉપયોગ કરેં!

PSP147

યાદ રાખો...
સુરક્ષા નિયમોનો
કરો સંગ
રાખે શરીરને
અભંગ

હું કોઈ પણ કામ
પી.પી.ઈ.ના
ઉપયોગ વગર નહી કરુ,
અને કામના સમયે
સુરક્ષા
મારો પ્રથમ ધ્યેય છે.

PSP139

Watch Your Steps

- ✓ Keep floors dry and clean
- ✓ Use non-slip working shoes
- ✓ Looking out for area with poor lighting and report them

PSP140

ઉંચાઈ પર કામ કરતી વખતે

સેફ્ટી બેલ્ટ પહેરવો.

PSP431

યાદ રાખો....
તમારા પરિવારને
તમારી જરૂર છે.
સુરક્ષાથી કામ કરો.

PSP138

SAVE ENERGY
Don't Waste It
TURN OFF LIGHT FAN AC

PSP099

SAVE ENERGY
Don't Waste It!
TURN OFF LIGHT FAN A.C.

PSP274

Safety Doesn't Have to Be Complicated
IT'S YOUR RIGHT

PSP042

USE YOUR HEAD!
Wear a hardhat

PSP146

SAFETY SLOGAN



PSP184



PSP213



PSP193



PSP194



PSP195



PSP196



SAFETY SLOGAN



PSP296



PSP297



PSP325



PSP294



PSP200



PSP287



PSP290



PSP291



PSP288



PSP008



PSP123



PSP125

SAFETY SLOGAN

ઉર્જા બચાવો
 પંખા, લાઇટ, કોમ્પ્યુટર, એ.સી.,
 ઉપયોગમાં ના હોય ત્યારે
 બંધ રાખો.



ઉર્જા બચાવવામાં સહયોગ આપો

PSP098

उर्जा बचाईये
 पंखे, लाईट, कम्प्युटर
 ए.सी., जरूरत न होने पर
 इन उपकरणों को
 बंद रखे



उर्जा बचाने में अपना सहयोग दें।

PSP100

વીજળી બચાવો



PSP177

વિજળી અમુલ્ય છે
 તેનો દુરપયોગ ન કરો




PSP180

**आप जल नहीं
 बचाओगे, तो कल
 आपके बच्चे
 प्यासे रह जाएंगे**



PSP166

Remember the 3R's!



- Reduce: Make use waste in the best place.
- Reuse: Use things again instead of throwing them away.
- Recycle: Recycle the correct things in the correct way so that they can be made into new things.

PSP182

**SAFETY
 IS A FULL TIME JOB
 DON'T MAKE IT
 A PART TIME
 PRACTICE**



PSP332

**WHEN WORKING ON
 HEIGHT
 USE
 SAFETY
 BELT**



PSP301


STOP CHILD LABOUR
बाल श्रम निषेध
**CHILD LABOUR
 PROHIBITED**

EDUCATION IS THEIR RIGHT, STOPPING CHILD LABOUR IS OUR FIGHT

यहाँ पर १८ वर्ष से कम उम्र के नाबालिकों को
 कार्यरत नहीं किया जाता है।
 PERSONS BELOW 18 YEARS OF AGE ARE NOT EMPLOYED HERE.

PSP167

**IT'S ALWAYS BETTER
 TO REPORT ANY HAZARD
 THAN
 AN ACCIDENT**



**REPORT ANY
 HAZARD IMMEDIATELY !!**

PSP094

**પોતાની સુરક્ષા માં ક્યાંય વિરામ
 નથી હોતો.. ભાઈ..**



PSP121

**ACCIDENT
 BIG OR SMALL**




**SAFETY
 FIRST**

AVOID THEM ALL

PSP254


SAFETY SLOGAN



PSP078



PSP049



PSP077



PSP145



PSP488




PSP016



PSP020




PSP028



PSP030

SAFETY SLOGAN




PSP107




PSP254




PSP082



PSP484



PSP002



PSP003

1S **सोर्ट** **SORT**

बिन उपयोगी चीजों को उसकार्यस्थल से हटा दें, जिसका उपयोग नहीं किया जा रहा है।

--	--

कार्यस्थल पर ओंण करवा माटे सोर्टिंग करो अने कामनी जग्याअेथी अनिरछनीय वस्तुओने हूर करो.

PSP521

2S **कममां सेट करो** **SET IN ORDER**

दैनिक आधार पर उपयोग किए गए आइटम व्यवस्थित करें ताकि उन्हें आसानी से पहचाना जा सके और जल्दी से संचयीत किया जा सके

दरेक सामग्री माटे स्थणनी ओंण करो अने ओंणभावेव स्थण पर सामग्री राभो.

PSP522

3S **शाईन** **SHINE**

सभी गंदगी और जमी हुई चीजों को हटा दें और इसे दैनिक रूप से रखें।

कार्यस्थलनी सड़ाई करो अने सड़ाई करती वपते समस्थाओने ओंणभो.

PSP523

YOUR LOGO

सुरक्षा प्रथम

अच्छी साफ सफाई एक सुरक्षित कार्यस्थल की चाबी है।

यह हर एक की जिम्मेदारी है।

PSP054

4S **स्टांडराइज करो** **STANDARDIZE**

कार्यों और प्रक्रियाओं की एक प्रणाली बनाओ जो दैनिक आधार पर 5S के चरणों को सुदृढ़ करेंगे

दरेक आइटमनुं धोरल नक्की करो, जे समस्थाओने सरणताथी ओंणभाशे.

PSP524

5S **टकी रहे** **SUSTAIN**

कार्यस्थल में 5 एस की प्रेरक संस्कृति बनाएं और अपने प्रयासों के परिणाम बनाए रखें

दरेक आइटमनुं धोरल नक्की करो, जे समस्थाओने सरणताथी ओंणभाशे.

PSP525

Say **SORRY!**

when some one hurt by you

SORRY

PSP458

आ ओक सारुं वलाज छे.

तमारु कर्बना सारुनी ने सारी परिस्थितिमां राभो.

PSP284

Starts From Here

Queue

PSP043

WORK

HARD

PSP461

SAFETY SLOGAN



PSP163



PSP289



PSP142




PSP143




PSP144



PSP402



PSP135



PSP136

SAFETY SLOGAN

Green and clean earth will bless you with a longer life.



PSP149

सलामतीथी काम करी आपना हाथ भयावो.



PSP433

HASTE makes waste...



But Get FIRST AID FAST!

PSP043

यह बच्चो का खेल नहीं है ।



UNDER AGE DRIVING

छोटे बच्चो को वाहन चलाने न दे ।

PSP140

Go Green And Make Our Earth A Beautiful Place To Live




PSP033

Join the Green Revolution and Stop Pollution!



PSP183



PSP016



PSP043

Always Cover your mouth when you need SNEEZE or COUGH




PSP488

DO NOT OPERATE any machine if you are sick inform your supervisor.



PSP020

SAFETY SLOGAN




PSP168




PSP169




PSP170



PSP045



PSP087



PSP225


Wear Gloves The Right Way

- 1** Wear food service gloves or use sanitary utensils or deli tissue when handling ready-to-eat foods.
- 2** Always wash your hands before putting on gloves.
- 3** Change your gloves any time you would need to wash your hands.
 - ✓ After touching your body
 - ✓ After using the toilet
 - ✓ After eating or drinking
 - ✓ After handling dirty equipment or utensils
 - ✓ After handling raw food
 - ✓ After any other activities that contaminate your gloves
- 4** Remove your gloves before washing hands.



PSP160


WIPE UP AND AVOID A SLIP UP



- 1** WHEN WALKING ON SLIPPERY SURFACES, SLOW DOWN AND TAKE SMALLER STEPS.
- 2** WEAR THE RIGHT FOOTWEAR FOR THE CONDITIONS. SHOES OR BOOTS SHOULD HAVE SLIP RESISTANT SOLES WITH PLENTY OF TREAD.
- 3** IMMEDIATELY REPORT SLIPPERY SURFACES THAT YOU ENCOUNTER ON SIDEWALKS OR PARKING LOTS SURROUNDING YOUR WORKPLACE OR AT BUILDING ENTRANCES.
- 4** WATCH WHERE YOU ARE WALKING ESPECIALLY FOR POTENTIAL TROUBLE SPOTS SUCH AS STAIRWAYS AND RAMPS.

PSP345

No Need For Speed



Safety First!

PSP444


NO PASSENGERS



Do not carry passengers on the bare forks or on the load of a forklift

PSP445


Carry it LOW



Drive it SLOW

PSP032

Accidents Affect Your Loved Ones Too.....



PSP128


Hazards During Chemicals

Explosive gases and Toxic

PSP313

ENVIRONMENT WEEK, 20--
SAVE ENVIRONMENT AND YOU WILL SAVE FUTURE

TRY TO PLANT A TREE WHEREVER YOU CAN




PSP236

सलामतीची काम करी आपना हाथ जयावो



PSP299

SAFETY SLOGAN



PSP319



PSP320




PSP318




PSP292

TEAM WORK POSTERS




PSP056




PSP057



PSP050



PSP014



PSP046



PSP137



PSP046



PSP326




PSP325




PSP185




PSP184



PSP052



PSP340




PSP324


PROTECTOR[®]

FIRESAFETY INDIA PVT. LTD.

Graphics

 Ph: 9265310714, 98258 27728

 graphics@prosign.co.in

 www.prosign.co.in

Safety

 Ph: 9377927738/39/40

 sales@protectorfiresafety.com

 www.protectorfiresafety.com



B-509-10-11, Signature Corporate Park 2, Sarkhej-Sanans Cross Road

Sarkhej, Ahmedabad-382210